



NATIONAL LIBRARY OF MEDICINE
1836

4

Rust (John Nepomuk)
[Vorlesungen über Chirurgie. Colle-
-gienhefte.] Ms
[n. p. n. d.]

162.

Einleitung.

Unter den mannigfaltigen Zweigen der Heilkunde, ist gewiß die Chirurgie einer der ältesten, und auch der Theil der Menschheit wohlthätig einwirkende Wissenschaft. Es mag wohl nicht außer Zweifel sein, daß die Chirurgie älter ist, als die eigentliche Heilkunde, oder doch nicht später entstanden, als diese; weil äußere Verletzungen durch Gewalt, kriegerische Uebungen u. dgl. mehrerer äußeren Verletzungen ausgesetzt waren, und die innern Krankheiten zum Theil aber auch in spätern Zeiten durch Luxus, als Kleidertracht, üppige Lebensart, die Kochkunst etc. herbei geführt sein mögen. Ob nun dieses zwar auf ein früheres Entstehen der Chirurgie hindeutet, so ist es doch lächerlich einen Rangstreit zwischen dieser und der Medicin zu führen, denn beide Wissenschaften vereint, können nur ein Ganzes aus machen. Sie wirken beide wohlthätig und heilbringend auf die Menschheit ein, und können füglich nicht von einander getrennt werden. Das Object der Heilkunde ist im engern Sinne des Worts der erkrankte Organismus, auf welchen wir auf drei verschiedenen Weisen einwirken können, entweder auf die Psychische u. physische chemische und endlich auf die mechanische Seite des Organismus.

Nach Verschiedenheit dieser Eintheilung zerfällt die practische Heilkunde:

a) In die Seelenheilkunde Psychiatrik, Therapia psychica.
b) In die eigentliche Arzneikunde Medicina pharmaceutica s. Therapia interna s. Medica.
c) In die Chirurgie, Therapia externa s. Chirurgie

Wir können indessen in den allerseltensten Fällen, auf einem dieser Wege allein die Wiederherstellung der Gesundheit bewirken. Jede Einwirkung auf den Organismus kann zwar direct eine der 3 Seiten ergreifen,

2.) allein die andern wurden aber immer gleichzeitig mit afficirt, und man könnte demnach auch diese 2 Zweige in practischer Hinsicht nicht trennen. Aus diesen von der Natur selbst hervorgehenden Gründen, wurde auch die sämtliche Heilkunde zu Hippocrates Zeiten, und nach ihm auch in der Coischen Schule vereint vorgetragen und von den Ärzten ausgeübt. Späterhin aber beförderten die Kenntnisse der Alten, die Kriege etc die Einrichtung chirurgischer Lehranstalten, die Zunfteinrichtung der Chirurgen etc, die Trennung der Chirurgie u Medicin immer mehr. Man zählte sonst zu dem Gebiethe der Chirurgie die örtlichen Krankheiten, zu dem Gebiethe der Medicin die allgemeinen Krankheiten, doch ist es nicht möglich einen richtigen Begriff von örtlicher u allgemeiner Krankheit zu haben.

Die Erregungstheorie nannte örtliche Krankheiten diejenigen, die als Fehler der Organisation erscheinen, diejenigen, die als Fehler der Erregbarkeit oder der Dynamik erscheinen allgemeinen Krankheiten. Doch ist diese Eintheilung so wenig, als die der andern Schriftsteller richtig: denn jene veränderte Organisation findet auch bei den Fehlern der Lungen u Leber etc statt, gehört aber strenge genommen nicht in das Gebieth der Chirurgie, sondern in der Medicin. Wir können im allgemeinen diejenigen Krankheiten örtlich nennen, die sich ihrem Wesen nach u ihrer Dauer abhängender bestimmten Formen auf einzelne Organe beschränken. Und im Gegentheil alle Krankheiten, die sich über den Organismus, oder doch theile, als Symptome ausbreiten. Diesem nach können freilich immer als äußern Krankheiten örtlich sein, u freilich chirurgische, als ärztliche Hülfe erfordern. Absolut genommen giebt es weder reine örtliche noch allgemeine Krankheiten. Das Charakteristische der chirurgischen Krankheiten ist die Formveränderung des Organismus. Hieraus geht hervor, daß oftmals chirurgische Krankheiten ärztliche Hülfe und innere Krankheiten chirurgische Hülfe erheischen können. Beide Doctrinen sind daher nur als Zweige einer Wissenschaft anzusehen, und sie

müßten jedem rationellen Heilkünstler bekannt seyn. B. 7
Zu den chirurgischen Krankheiten gehören alle diejenigen, die zu ihrer Heilung vorzüglich äußerer Mittel oder irgend einer manual Hülfe bedürfen; da es aber keine vorzüglich Krankh. gibt, so muß die Chirurgie auch lehren, wie den allgemeinen Leiden bei chirurgischen Krankheiten durch innere Arzneimittel entgegen gewirkt werden kann.
Die manual Hülfe muß durch therapeutische Grundsätze geleitet werden: man muß einsehen, was sie dort nach bezweken kann, und umgekehrt jeder Wundarzt muß daher auch medicinische Kenntniß besitzen, wenn er als Wundarzt der höheren **Kategorie** auftreten will, wenn er gleich letztere nicht ausübt. Eben so muß auch der Arzt mit den medicinischen u. chirurgischen Kenntnisse verbinden, um in vorkommenden Fällen selbst ohne Chirurgus handeln zu können.
Beide Doctrinen, sowohl die Chirurgie als Medicin werden zwar für sich auf Universitäten vorgetragen, weil es unmöglich ist, die gesamte Heilkunde vereint vorzutragen, weil man das einzelne beider Doctrinen näher betrachten zu können. Doch ist dieses nicht in das ~~[illegible]~~ practische Handeln überzutragen, aber so ist es in subjectiver Hinsicht zu (beobachten) betrachten.
Es gab zwar einige ~~Gute~~ die trefflichsten Männer, die sich nur einzelnen Zweige widmeten, u. so entstanden denn auch Geburtshelfer, Zahnoperateurs, Steinschneider etc.
Sie trugen zum Theil zur wesentlichen Verbesserung der Chirurgie bei, jedoch entstanden auch dadurch viele Nachtheile für die Menschheit, indem durch Marktschreier, Zahnbrecher etc., umherziehend im Lande herumzogen u. als Marktschreier ihre Kunst den Menschen feil bothen.
Noch u. nach trennte sich auch die Chirurgie in einzelne Zweige, so wurde der zum Theil Augenärztliche Geschäfte etc.

4.) herumziehend; sie übten diese Operation immer allein, und waren daher als sehr einseitige Aerzte zu betrachten. Denn auch jeder Laie kann auch ohne alle wissenschaftliche Kenntnisse der Theile des Organismus durch Übung und wiederholtes Zusehen von einem Sachverständigen mit der Zeit eine Fertigkeit in dergleichen Operationen erlangen.
Im Lehrvortrage theilt man jetzt die Chirurgie in den medicinischen und artistischen Theil ein, letzterer ist die Akiurgie, welche sich mit den chirurgischen Operationen beschäftigt.
Der medicinische Theil zerfällt wieder in 2 Theile, nämlich: in den generellen u. Speciellen, ersterer beschäftigt sich mit den allgemeinen chirurgischen Krankheiten, wie sie am ganzen Körper vorkommen können und stellt Principien auf ihnen zu begegnen.
Der Specielle Theil hebt einzelne Krankheitsformen hervor u. betrachtet sie für sich allein, und gibt die Kurmethoden für jeden einzelnen Fall an. Beide Theile werden in der Regel separirt u. in 2 verschiedenen Semestern vorgetragen.
Prof: Dr: Rust hält es jedoch für zweckmäßiger sie zu vereinigen u. gemeinschaftlich vorzutragen, u. schließt nur die chirurgischen Krankheiten aus, über welche gewöhnlich vollständige Vorträge gehalten werden als: Fracturen u. Luxationen.
Früherhin theilte man die chirurgischen Krankheiten nach ihren Formen und nach ihren Erscheinungen ein, später wollte man diese Formen verbessern und nahm die Anatomie mit zu Hülfe, und theilte darnach die Verletzungen, in die, des Kopfs, der Brust, Extremitäten etc ein.
Eine neuere Eintheilung ist die, die chirurgischen Krankheiten nach der Verletzung der Organisation einzutheilen, obgleich auch sie einige Mängel noch haben mag, doch ist sie mehr zweckmäßig.
Jede chirurgische Krankheit hat Verletzung der Organisation zu Folge.

Alle übrigen Krankheiten gehören nicht für das Fach des Wundarztes, sondern müssen dem Arzte zur Behandlung überlassen werden. Man theilt demnach die chirurgischen Krankheiten in 2 Haupt-klassen ein.

I Classe.

Primaer dynamische Abweichungen von der normal Structur.

Ihre Abtheilungen sind:

a) Anomalie der organischen Kräfte: hieher gehören alle Krankheiten mit einer vorwaltenden Anomalie der plastischen Thätigkeit der organischen Gebilde, als: alle Deformitaeten, Pseudoproductionen, Aftergebilde, Fehler der Ur- und Nachbildung etc. die entstehen in einer Anomalie des Bildungs Triebes.

b) Anomalie der physischen Kräfte. Hier findet eine Anomalie der contractiv und expansiv Kraft der organisch: Gebilde statt. Hieher gehören auch alle Contractionen, Relaxationen angiectasien der Gefäße etc.

II Classe

Primaer mechanische Abweichung von der normal Structur: Hier findet eine Anomalie in der normalen Lage und des Zusammenhanges der Theile statt.

Ihre Abtheilungen sind:

a) Krankheiten mit vorwaltender Anomalie der normalen Lage der organischen Gebilde: hieher gehören alle Luxationen, Dislocationen, als Prolapsus uteri, vesicae urinariae etc als Herniae, Diastasis.

b) Krankheiten mit vorwaltender Anomalie des normalen Zusammenhanges der Gebilde; hieher gehören Fracturen, Rupturen, Wunden, Verengerungen, Verwachsungen etc.

Zu den Krankheiten, welche aus einer Anomalie der organischen Kräfte des Organismus entstehen, gehört vor allen übrigen die sogen. Inflamatio, Phlegmone, Phlogosis etc. Hier ist eine erhöhte im arteriosen System vorwaltend.

6.) Lebensthätigkeit vorhanden; der bildungs u. vegetations process
ist gesteigert, u. durch entsteht Hitze, Geschwulst, Röthe, Störung
und gestörte functionen, deren Erscheinungen eine Exaltation
des arteriellen Systems voraussetzt.
Daher alle Krankheiten wo sich die Exaltation des arteriellen Sy-
stems nicht ausspricht, streng genommen nicht zu Entzündun-
gen gezählt werden können.
Die Entz. kann dem Grade nach verschieden sein, ebenso wird
sie nach den Ursachen, nach dem Bau u. dem Zustande der Or-
gane, welche von der Entz. ergriffen werden, sich verschieden zeigen.
Ferner wird sie sich nach dem Wechselverhältniß richten, in
welchem das befallene Organ mit den übrigen Organen steht.
Doch modificiren diese Umstände nur den Grad der
der Entz., die Entz. bleibt dieselbe u. kann nur als solche existiren.
Das Ursächliche dieser Entz. auszumitteln ist schwierig, ja
wohl unmöglich.
Es sind eine Menge Hypothesen aufgestellt, die es näher
erörtern sollen, doch sind sie alle nicht genügend. So nahm
man an, daß das Blut in den Lymphgefäße übergienge,
hier gestockt würde und endlich gerinne. Doch können
die Erscheinungen, worauf sie fußten, nicht Ursache der Entz.
werden, immer schon als Folge derselben angesehen werden müssen.
Plattner nimmt den langsamen Blutumlauf u. den Stocken,
treibt desselben in den Zell gewebe, als Ursache der Entz. an.
Haller, Richter, Meckel etc. lassen sie durch den Reiz
entstehen, welcher durch den vermehrten Säftezufluß
nach einem Theile hervorgebracht würde.
Marcus sieht das Wesen der Entz., als eine vermehrte
u. contractive Kraft der Arterien an. d. arteriellen Gebilde.
Walter: als einen Verbrennungsprozeß in dem Blute,
und auch anderen Theilen, als ein vermehrter oxydations-
process im Blute.
Nach Boerhave soll das Blut zähe u. dick, nach Anderen
dünner als im gewöhnlichen Zustande sein.

[illegible]

8. [illegible] arteria [illegible]
[illegible]
[illegible] 3 [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] 3 [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] Maximum [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

14\. [illegible]

[illegible]

[illegible] arteriellen [illegible]

[illegible] Vegetationsprocesses [illegible]

[illegible] arterielle [illegible]

[illegible]

[illegible]

[illegible] Degenerationsprocess [illegible]

[illegible]

[illegible] … aesthetisch … [illegible]

[illegible] … excedieren … [illegible]

[illegible] … varietaeten … [illegible]

Aetiologie

[illegible]

I Causae praedisponentes: [illegible]

[illegible]

II Causae occasionales: [illegible]

[illegible]

16. [illegible] quantitaet [illegible] Resultat [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] Instrumente [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
Qualitaet [illegible]
[illegible]
[illegible]
[illegible] 3.
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] spezifiziert [illegible]
[illegible]
[illegible]
[illegible]

[illegible]

18 [illegible]

[illegible]

22.) [illegible] am 11ten 14ten 21ten Tage.

[illegible]

22) [illegible]

24. [illegible]

Grenier [illegible] 25, [illegible]

[illegible]

[illegible] Principaltheorie [illegible]

[illegible]

[illegible]

[illegible] 7^{te} 11^{te} 14^{te} 21^{te} [illegible]

[illegible]

[illegible] 27.)
[illegible]
[illegible]
[illegible] Entzündung, Verschwärung.
[illegible] mittelbare [illegible] unmittelbare
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] Vitalität. [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] Granulation

28.) [illegible] Caro luxurians [illegible]
[illegible]
[illegible]
[illegible]
[illegible]

Gangraena [illegible]
[illegible]
[illegible]

[illegible] Sphacelus [illegible]
[illegible]
[illegible] oder [illegible]

[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

Mumification [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

[illegible]

Begriff der Entzündung.

[illegible]

38) [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] etc. [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible].

Specielle Bedeutung [illegible] [illegible], [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible]. [illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible]. [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] Mittel [illegible] [illegible] z. B. [illegible] adstringirende
[illegible] [illegible] Digestiva, Expectorantia, Alterantia etc. [illegible] [illegible]
[illegible] [illegible].

[illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] Organe [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible]. [illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible] [illegible].
[illegible] [illegible] [illegible] [illegible], [illegible] [illegible] antiphlogistische
[illegible] [illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible]. [illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible] [illegible] etc.
[illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible].

[illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] 7. 11. 14. 21sten Tag [illegible] [illegible]
[illegible] [illegible] [illegible].

[illegible]

Therapie der [illegible] Diphtheritis [illegible]

[illegible]

1) [illegible]

2) [illegible]

3) [illegible] Reconvalescenz [illegible]

24. [illegible]

[illegible] 35
[illegible] Symptom [illegible]
[illegible] sympathetische Symptome [illegible] symptomatische [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] Complicationen [illegible]
[illegible]
[illegible]
[illegible] Symptom [illegible]
[illegible] Organ [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] Calomel [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

36. [illegible]

[illegible] *praxis* [illegible]

[illegible] *Manifestationen* [illegible]

[illegible] *Fermentation* [illegible]

[illegible] *Experiencen* [illegible]

[illegible] *Epidermatis* [illegible]

[illegible] *species pro Epidermatis emollientes* [illegible]

[illegible] *narkotisch* [illegible]

[illegible] [illegible] ... [illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]: [illegible].
[illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible].

Rp. [illegible] [illegible] ℥ 3 — ℥j
[illegible] [illegible] [illegible] [illegible]
[illegible] ʒj [illegible]
[illegible] [illegible] ℥j
Syrup. Althaeae ℥ß
M. D. S. [illegible] [illegible] [illegible] [illegible] [illegible]

[illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible], [illegible] [illegible] [illegible] [illegible] [illegible].

Rp. [illegible] Tamarind. ℥j — ij
[illegible] [illegible] [illegible] [illegible]
[illegible] ℥ij — ℥j [illegible]
[illegible] [illegible] ℥j [illegible] [illegible]
[illegible] [illegible] ℥j
D. S. [illegible]

[illegible] [illegible] [illegible] [illegible] [illegible] [illegible].
[illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible].

Rp. [illegible] [illegible]
[illegible] [illegible]
[illegible] [illegible]

[illegible] [illegible] [illegible] [illegible] [illegible] [illegible] q. s.
M. D. S. [illegible] [illegible] [illegible] [illegible]

[illegible] [illegible].

40. [illegible] Calomel [illegible] Foeniculi [illegible]

[illegible]

Rp. [illegible] gr. IV.
[illegible]
Sacch. alb. gr. X
M. f. P. [illegible]
S. [illegible]

[illegible]

Rp. [illegible] gr. XXIV
[illegible] gr. II
Sacch. alb. [illegible]
M. f. P. [illegible]
S. [illegible]

[illegible]

Rp. Hb. digital. purpureae gr. [illegible]
Calomel. gr. XXX
Sacchar. alb. [illegible]
M. f. P. divid. in XII part. aequal.
S. [illegible]

[illegible]

[illegible]
[illegible]
[illegible]
[illegible] 1847
[illegible]

[illegible]

[illegible]

[illegible]

Cabrolles [illegible]
[illegible]
[illegible] 1847

[illegible]

[illegible] Rekrutmagazin [illegible]

[illegible] Abrahamsson [illegible]

42. Valeriana [illegible]
[illegible]

Rp. Camphorae gr XII
[illegible]
Sacchari albi ana ʒ ij
M. f. pulv. in XII part. aequal.
S. [illegible]

[illegible] 2–4 gr. Calomel [illegible]
[illegible]
[illegible]
[illegible]
[illegible]

Rp. Morphii acet. [illegible] gr II
Sacchari alb. gr XII
M. f. [illegible] No XII
S. [illegible]

eller Rp. Calomel [illegible]
Morphii ana gr X
M. f. [illegible] No XII [illegible] Calomel
S. [illegible]

[illegible]

Rp. [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

[illegible] einen [illegible] und [illegible] lange anhalten. [illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Rx. [illegible] Ipecacuanh. [illegible]
Tart. stibiat. gr. [illegible]
Aq. destill. [illegible]
M. D. S. [illegible] zu nehmen.

[illegible]

[illegible] vitriol. [illegible]

[illegible]

[illegible]

[illegible]

Rx. Aq. vitriol. [illegible]
Syrup. rub. Idaei [illegible]
Aq. destill. ℥ XII.
M. D. S. [illegible] zu nehmen.

[illegible] Frank [illegible]

[illegible]

[illegible]

Rx. [illegible]
[illegible]
[illegible]
[illegible]
S. [illegible] zu nehmen.

Endlich muß in diesem Falle die antiphlogistische [illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Rx. [illegible]
[illegible]

47.) [illegible]

[illegible]

[illegible]

Acet. saturni [illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible] auf die in der vorigen [illegible] ~~[illegible]~~ [illegible]
[illegible]
[illegible] <u>[illegible]</u>
[illegible]
Der [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] <u>[illegible]</u> [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

<u>[illegible]</u>
[illegible] den Organe [illegible]
heilbar, bald unheilbar seyn.
<u>Unheilbar ist sie</u>, wenn die [illegible] und Fleisch [illegible]
[illegible] Vitalität [illegible]
[illegible] Wärme etc. [illegible]
[illegible] chemische Zersetzung [illegible]
[illegible]
[illegible] Zertheilung [illegible]
[illegible] Gebilde zu [illegible]
[illegible]

[illegible] Vitalitaet [illegible] Circulation [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] Mercurialsalben [illegible]
[illegible] Electricitaet
Galvanismus [illegible]
[illegible]
[illegible] Cantharid. [illegible]
[illegible]

℞ Calomel.
Sulphur. aurat. antimon. gr j [illegible]
[illegible]
[illegible]
Extract. Antimonial. [illegible] Mercurial [illegible] Cicuta
[illegible] Digitalis purpurea [illegible] Calendula etc.
[illegible]

1. ℞ Calomel
Sulph. aurat. antim. aa gr j
Sacchar. alb. [illegible]

2. ℞ Calomel [illegible] gr vj
rad. Ipecacuanh. [illegible]
[illegible]

3. ℞ Extr. Cicut.
Calendul. [illegible]
Aethiops antimon. [illegible]
[illegible] gr x
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

[illegible] Mittel [illegible] 11.
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

Rp. [illegible]
[illegible]
[illegible] aa ℈ij
Camph. ℈j
M. D. S. [illegible]

[illegible]
[illegible]

Rp. Ungt. de Calendula
[illegible] Digitalis purpur.
[illegible] Hydrargyr. ciner. aa ℈ij
Camph. ℈j
M. D. S. [illegible]

[illegible]
[illegible]
[illegible] Mercurialsalben [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

Succi liquiritiae [illegible]
Carbo [illegible]
M. [illegible]

[illegible]
[illegible]
[illegible]

48. [illegible]

[illegible] Tartar. emet. [illegible]

Aq. [illegible]

[illegible]

Rp. Liqu. ammonial. [illegible]

[illegible]

[illegible]

[illegible] vitalitaet [illegible]

[illegible] Bibel nicht allein [illegible]

[illegible]

[illegible]

[illegible] Tabelle [illegible]

[illegible]

[illegible] XXX [illegible]

[illegible]

5. [illegible] Calendula [illegible] [illegible] Calendulae [illegible]

Rp. Extract. Calend.
Calendulae
℥ iv. Aq. flor. Calendul. āā ℥ij
ferment. liq. art. pillulae gr. j
Consp. ℥ Cinnamomi
[illegible]
[illegible]

[illegible]

[illegible] Operations- [illegible] aromatischen Mittel [illegible]

[illegible]

[illegible]

Speziell [illegible] medicinische Therapie [illegible] Salpeter [illegible] Digitalis [illegible]
[illegible]

[illegible] *[illegible]* 61.
[illegible] *[illegible]* [illegible]
[illegible]
[illegible]

Rp. Rad. Sambuc.
Juniper.
Spec. Spina cervina [illegible]
[illegible]
[illegible]
[illegible]
Rp. [illegible]
Sulphur aurat. antimon.
[illegible] Squillae
Extract. [illegible]
[illegible]
[illegible]
[illegible]

[illegible] *[illegible]* [illegible]

[illegible] *[illegible]* [illegible] *[illegible]* [illegible] *[illegible]* [illegible]
[illegible] [illegible]

52.) [illegible] Hypertrophie [illegible]

[illegible]

Crocatum: [illegible] mit [illegible] u. [illegible] des Ungt. digestiv.
Ungt. Elemi, Basilicum etc.

[illegible]

[illegible] werden.

[illegible]

[illegible]

Die hauptsächlichsten Mittel, um diesen Zweck zu erreichen.

[illegible]

56. [illegible] allgemeine [illegible] Organismus [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
Ungt. Digestiv. mit [illegible] Praecipitat [illegible]
Rc. [illegible] pareis [illegible] — [illegible] Ungt. Digestiv. [illegible]
Hydrarg. praecipit. rubr. [illegible] — [illegible]
[illegible] — [illegible]

Rp. Ungt. digestiv. [illegible]
Hydrargyr. praecipitat. rubr. [illegible]
[illegible]
[illegible] Praecipitat [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] Praecipitat [illegible]
[illegible]
[illegible]
[illegible] Granulationen [illegible]
[illegible]
[illegible]
[illegible] Mittel [illegible]
[illegible]
[illegible] quantität [illegible]
[illegible]
[illegible]

58. [illegible]

[illegible] des [illegible] bewirkte, [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
Die [illegible] wie [illegible] die Brandstelle [illegible]
[illegible] amputirt [illegible]
[illegible]
[illegible] die [illegible]
[illegible]
[illegible] die [illegible]
[illegible]
[illegible] der amputirten [illegible]
[illegible] wird [illegible]
[illegible] der Brand [illegible]
[illegible]
[illegible] ein Theil des [illegible]
[illegible] wird.
[illegible] Mittel [illegible]
[illegible] amputiren [illegible]
[illegible]
[illegible]
[illegible] durch den Brand [illegible]
[illegible] Amputations-
[illegible] die [illegible]
[illegible] den [illegible]
[illegible] durch [illegible]
[illegible]
[illegible] Brand [illegible]
[illegible] Terpentin [illegible]
[illegible]
[illegible]
[illegible] die [illegible]

[illegible]
[illegible]
[illegible] Scarificationen [illegible]
[illegible] chemische Mittel.
[illegible] antiseptisch [illegible] Mittel [illegible] z. B. [illegible]
Carbo: lign: tiliae, China, Myrrh. [illegible] chemisch [illegible]
[illegible] Acid. pyrolign: [illegible]
[illegible] Mittel [illegible]
Compressen [illegible]
[illegible]

Rp. [illegible]
Pulv. [illegible]
Carbo: lign: tiliae āā ʒj
Camphor ʒij
Ol. Terebinth. q. s. f[iat] Ungt.

[illegible] Compressen [illegible]
[illegible] Camphor [illegible]
[illegible]

[illegible]

62. [illegible] 3 u. 4 [illegible] gebräuchen [illegible]. [illegible]
[illegible]
[illegible]
[illegible]
[illegible] gewiß bleibende
[illegible] Mittel [illegible]
[illegible]

[illegible]
[illegible]
[illegible]
[illegible] gelangt.

<u>[illegible]</u>

§ 1.

<u>Von der [illegible]</u>
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] Fall [illegible] wird.
§ 2. [illegible]
[illegible] bedeuten [illegible]
[illegible]
[illegible]
[illegible]

Die [illegible] ist hier mehr geschlossen als bei den [illegible] gefunden [illegible] 69

[illegible]

Die [illegible] [illegible]

[illegible]

Die [illegible] [illegible]

[illegible]

Die [illegible] [illegible]

[illegible]

Die [illegible] [illegible]

(64.) [illegible]

[illegible]

6 [illegible]

[illegible]

[illegible] St. Antons Traum; [illegible]

[illegible]

4tens [illegible]

[illegible]

[illegible] 65.

[illegible]

5te [illegible]

[illegible]

6te [illegible]

[illegible] 4te — 5te [illegible]

[illegible]

66.) Beim 3ten Grade entstehen [illegible] Geschwüre, [illegible]
[illegible]
[illegible]
mit dem Rückgange der [illegible]
[illegible] und dieses ist häufig entzündet, die Augen und Nase sind sehr angeschwollen, die Zunge [illegible]
[illegible]
und der Schmerz sehr heftig.

7te Periode ist die Höhe der [illegible]
[illegible]
[illegible]

8te [illegible]
[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Physiologie

[illegible]

[illegible] ... 2ᵗᵉ Indication [illegible] ...

[illegible] ... Delirien [illegible] ...

[illegible] ... Electuarium Lenitiv. cum Spiritus Mindereri, einen Solutus Tartar. emetici [illegible] ... Regimen [illegible]

Rp. Electuar. Lenitiv. ℥iij
Spirit. Mindereri ℥j
Aq. flor. Sambuc.
Syrup. Simpl. āā ℥j
M. D. S. Alle 2 Stunden 1 Eßlöffel voll zu nehmen.

Also Rp. Tartar. emetic. gr. j
solve in
Aq. flores Samb. ℥vij
Roob. Samb. ℥j
M. D. S. Alle 2–3 Stunden 1–2 Eßlöffel voll z. n.

[illegible]

℞ Tartar: emetic: gr IV
solve in
Aq: flores chamomill: ℥ij
adde
Oxymel simpl:
Syrup: rubi idaei aa ℥ß.
M. D. S. Alle 10 Minuten 1 Eßlöffel voll zu nehmen bis Erbrechen erfolgt. Hier muß ich jedoch erwähnen, daß der Tart: emet: nicht [illegible] zu trinken bekommt [illegible]

[illegible] ℞ Pulv: rad: Ipecacuanh: ℈j – ℈ß.
Tartar: emetic: gr j
M. D. S. Auf einmal zu nehmen.

[illegible] Spirit: Minderer: [illegible] Camph: [illegible]

℞ Rad: Angelicae
— Valerianae silvestris aa ℥ij
infunde suff: quantitate
Aq: fervid: per quadrant: horam
Colaturae ℥viij
adde
Spirit: Minderer:
Syrup: simpl: aa ℥j
M. D. S. [illegible] 1–2 Eßlöffel voll zu nehmen [illegible]

℞ Camphor: gr XII
G. Gum: Arabic ℈j
Sacchar: albi ʒij
M. f. p. divid. in XII part. aequal:
S. Alle Stunden 1 Pulver zu nehmen.

72.) [illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Im Allgemeinen [illegible]
[illegible]
[illegible]
[illegible]
[illegible]

[illegible]

Die Composition [illegible]
[illegible]

[illegible] Allein [illegible]
[illegible]

74. [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] Digestionsapparat [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
b) [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

[illegible]

Cap. II.

[illegible]

[illegible]

[illegible]

[illegible]

76. [illegible]

[illegible]

Rp. [illegible]

[illegible]

Rp. [illegible]

Rp. [illegible]

III [illegible]

[illegible]

18. [illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible] 19.

[illegible]

[illegible]

Rp. Sulph. aur. [illegible] gr. j
Sacch. albi [illegible]

[illegible]

[illegible] Spirit. [illegible]

[illegible]

[illegible]

[illegible]

Rp. [illegible] [illegible]
Syrup. [illegible]
M. D. S. [illegible]

Rp. Cort. Chin. regiae [illegible]
coq. q. s. [illegible] per [illegible]
[illegible]
Extr. [illegible] aromat. [illegible]
Spirit. [illegible] per hor. [illegible]
Colat. [illegible]
adde
Tinct. aromat. ʒ3.
Syrup. cort. aurant. [illegible]
M. D. S. 2 stündlich 1 Esslöffel voll.

[illegible]

[illegible]

[illegible]

[illegible]

Rp. Spirit. [illegible]
[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

§ 4. Von der Bestimmung der Combustions-Stationen.

[illegible]

[illegible]

[illegible]

[illegible]

Rp. Emulsio amygdal. dulc. ℥vj
Nitrum pur. ʒij
Syrup. papaveris ℥j
M. D. S. Alle Stunden [illegible] Esslöffel voll [illegible]

Rp. [illegible] expressi [illegible]

[illegible]

[illegible]

Allgemeine Behandlung.

[illegible]

[illegible]

[illegible]

[illegible]

86. [illegible]

[illegible]

1) [illegible]

2) [illegible]

3) [illegible]

4) [illegible]

[illegible]

[illegible]

[illegible]

Nota [illegible]

[illegible] ℥j — Spirit. vini rectificat. ℥iv

Spirit. [illegible] ℥

[illegible]

so muß ich seine Zuflucht zu spirituösen Einreibungen nehmen. Als
das [illegible] Mittel in dieser Hinsicht ist [illegible]
ist Petroleum, welches [illegible]
[illegible]
[illegible]
[illegible]
[illegible] ℞. Spirit. vini rectificat. ℥ij
Bals. peruvian. ℥j—ij
M. D. S. Einreibung.

oder ℞. Alcohol. vini ℥iv
Tinct. croton. ʒij
M. D. S. Einreibung [illegible]

Das beste Mittel [illegible] welches [illegible] folgendes:

℞. Acid. nitr. dilut.
Aq. Cinnamom. spirituos. āā ℥j
M. D. S. Äußerlich (den Theil damit einzureiben)

℞. Acid. tartaric. ʒj
Spirit. camphor. ℥j
M. D. S. [illegible] der erfrorenen Theile.

[illegible]
[illegible]
[illegible]: ℞. Empl. de galb. croc. [illegible]
[illegible]
[illegible]
[illegible]
M. D. S. [illegible]

℞. Empl. Lithargyr. simpl. ℥j
Camphor. trit. ʒj
Bals. peruvian. ʒj
M. D. S. [illegible]

℞. Empl. Lithargyr. simpl. [illegible]
Bals. [illegible] ʒij
[illegible] ʒj
M. D. S. [illegible]

[illegible]

VI [illegible]

[illegible]

92. [illegible]

[illegible]

91. [illegible]

[illegible] Laxis medicamentosis [illegible]

[illegible] Principia aetherea [illegible]

[illegible]

8 [illegible]

Rp. Pulv. [illegible]

[illegible]

[illegible]

[illegible] Mittel [illegible] Meyer [illegible]

[illegible]

[illegible]

[illegible] Amalgama [illegible]

[illegible]

96. [illegible]

5. [illegible]

6. [illegible]

[illegible — underlined heading]

[illegible]

[illegible]

[illegible] *Volumen* [illegible]

[illegible] *consistenter* [illegible]

[illegible] *conjecture* [illegible]

[illegible] *Cornea* [illegible]

[illegible]

[illegible] *Complexis* [illegible]

Phaenomene [illegible]

98.) [illegible] Conjunctiva [illegible]
die älteren Nosologen [illegible] Chemosis [illegible]
[illegible]
[illegible]
[illegible]
Phlegmone oculi. Allein die älteren [illegible]
[illegible]
[illegible]
[illegible] prominirt,
[illegible] focus [illegible]
[illegible]
[illegible] Organs [illegible] focus [illegible]
[illegible] retina [illegible] choroidea [illegible] iris [illegible]
[illegible]
[illegible] ciliar [illegible] Sclerotica
[illegible] cornea [illegible] cornea [illegible]
[illegible] choroidea [illegible]
[illegible]
[illegible]
obfiliren [illegible]
[illegible]
[illegible] Orbital [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
Sclerotica [illegible]
[illegible] Conjunctiva [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

[illegible]

180, [illegible] schwarz [illegible]

[illegible]

[illegible]

[illegible] Sclerotica [illegible] gefühlt.
Die Cornea [illegible]

[illegible]

Die Prognose [illegible]

[illegible] Symptome [illegible]

[illegible] ... Prog. [illegible] ... [illegible]

[illegible]

Kur.

[illegible] ... Indicationen: [illegible] ... antiphlogistischen [illegible] ... z. B. [illegible] ... Calomel [illegible] ... gr. iii – iv – vi [illegible] Jalappae [illegible]

∇ H

1822. [illegible] Digitalis [illegible]
[illegible]
[illegible] aether [illegible]
[illegible]
[illegible]
[illegible] Calomell. gr. vj [illegible] Jalapp. ℈j. ʃ.
[illegible] Vene Sectio [illegible]
[illegible] 14–15 Unz [illegible]
[illegible] Relation [illegible]
[illegible] Scarificiren [illegible]
[illegible] Conjunctiva [illegible] Brust [illegible]
[illegible]
[illegible]
[illegible]
im [illegible]
[illegible] Solerotica [illegible]
[illegible] Scarification [illegible]
[illegible] Reaction [illegible]
Fomentationen [illegible] ∇.
[illegible] Goulard [illegible] ∇ [illegible]
[illegible]

℞ [illegible]
Acet. Saturn: ℨij
[illegible]
M. D. S. [illegible] Fomentat.

[illegible]
[illegible]
[illegible] Boraxes
[illegible] Conjunctiva [illegible]
[illegible]
Extract. opii [illegible]
[illegible]
[illegible]

℞ Pulv. [illegible] subacidus ℨij
[illegible] boracicum [illegible]
[illegible]
[illegible]
M. [illegible]
M. D. S. [illegible]

[illegible] ℞ Pulp. [illegible] subact. ℥ iv
flor. sambuc. ℥j
[illegible] a. [illegible]
aceti
croci [illegible] ʒß
extr. saturn. [illegible] acetic. gr x
M. f. [illegible] cataplasm.
[illegible] Extr. [illegible]
[illegible] ʒß [illegible]
[illegible]:
℞ Aq. flor. sambuc. ℥j
mucilag. gm. mimos. ʒß
Acet. saturni gtt x
Tr. opii crocat. gtt xx
M. d. S. [illegible]
℞ Aq. flor. sambuc. ℥ij
Acet. saturn. gtt x
Tr. opii simpl. gtt xx
M. d. S. [illegible]
[illegible] saturn. [illegible]
℞ Decoct. malv. ex ℥j parat. ℥vj
Acet. saturn. ʒiß
M. d. S. [illegible]
[illegible] Borax [illegible]
℞ Aq. [illegible] ℥iv
Borac. venet. ʒj
M. D. S. [illegible]
[illegible] Blepharospasmus [illegible]
[illegible]
2. [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

104. [illegible]

[illegible] 12 Mars [illegible]

[illegible] Entropium [illegible]

[illegible]

[illegible] des fremden Körpers [illegible] Auges [illegible]

[illegible] Augenlider [illegible] zur Entfernung des fremden Körpers [illegible]

[illegible] mittelst [illegible]

[illegible] Augen [illegible]

[illegible]

106. [illegible] Bürger [illegible] ... [illegible]

[illegible]

[illegible] ... [illegible] mercurius [illegible] ... [illegible]

[illegible]

Rp. [illegible] flor. [illegible]

Aq. [illegible]

S. [illegible]

M. D. S. Alle 4–6 Stunden [illegible]

[illegible]

Rp. Hydrarg. muriat. corros. gr. j

Aq. rosar. [illegible]

Mucilag. gm. arabic. [illegible]

S. [illegible]

M. D. S. Alle 2–3 Stunden [illegible]

[illegible] chronica [illegible] 10 [illegible]

Vesicatoria [illegible]

[illegible] Mittel [illegible]

[illegible]

2. [illegible] Man [illegible] Auge [illegible]

[illegible]

[illegible] chronische [illegible]

[illegible]

[illegible] Linse [illegible]

[illegible] Cornea [illegible]

[illegible]

[illegible] existieren [illegible]

[illegible]

108, [illegible]

[illegible] Rp. Decoct. Alth. [illegible]
ex ℥ij parat. ℥viij
[illegible]
Syr. opii croceat. ℥ß – ij

M. D. S. [illegible]

[illegible]

Rp. Alb. malv. ℈ß
coq. s. q. aq. per ½ hor.
Colat. ℥viij
adde
Syr. opii croceat. ℥ij

M. D. S. [illegible] [illegible] Rp. Pulv. Rad. Calami ℈ij
Calomel. gr. j
M. D. S. [illegible]

[illegible]

[illegible]

~~[illegible]~~

[illegible]

4. Indicatio [illegible]

[illegible]

Rp. [illegible]

M. D. S. [illegible]

Rp. [illegible] XII – XV

[illegible]

M. D. S. [illegible]

[illegible]

110.) Rp. Butyr. rec. [illegible] ℥j
mercur. praecip. rubr. gr. x
Tutiae praeparat. ʒj
M. f. Ungt. ophthalmic. [illegible]

Rp. Butyr. [illegible]
[illegible] albae
Hydrarg. praecip. rubr. āā ʒß
M. f. Ungt. ophthalmicum.

[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

Rp. Butyr. recens [illegible] ℥ß
Mercur. praecip. alb. gr. xv
Boli alb. ʒj
M. exactiss. f. Ungt. ophthalmic.
S. [illegible]

[illegible] Rp. Butyr. insulf. recentiss. ʒij
Hydrarg. praecip. rubr. gr. iij
Acet. Saturn.
Flor. Zinci [illegible] āā ʒß
M. exactiss. 3 orei omnes [illegible] recoparant.

[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] 49.
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

[illegible]

Vetter: Pellason [illegible]

[illegible]

Mr. 1. 5. 2. 3 mal täglich [illegible]

[illegible]

Ophthalmia [illegible]

[illegible]

[illegible]

im 2. Stadio [illegible] der Conjunctiva u. Sclerotica [illegible] 113.
[illegible]
[illegible] ~~[illegible]~~
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] Cornea [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] exanthematische [illegible]
[illegible]
[illegible] Fomente in Anwendung [illegible]
[illegible]
[illegible]
[illegible]
[illegible]

[illegible]
[illegible]
[illegible]
[illegible] [illegible] Antiphlogistischen [illegible]
[illegible]

114.) Bei der rheumatischen Entz. muß die Behandlung [illegible] [illegible] sein, [illegible] [illegible] der Blutgefäße zu [illegible].

[illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] Opii [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] Calomel mit [illegible] [illegible]

Rp. Calomelanos
Opii puri āā gr iv
M. f. Pulv. Dos. No. vj
S. Abends beim Schlafengehen [illegible] [illegible] [illegible]

Bei Augenentzündungen [illegible] der Lapis divinus [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] Blictenulas [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible].

Rp. Lapis divin. gr XII–XV
Aq. rosar. ℥ IV
[illegible] [illegible]
Tinct. [illegible] āā gtt XXX
M. Augenwasser

[illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]

Rp. [illegible] [illegible] [illegible]
Aq. rosar. āā [illegible]
S. [illegible] [illegible] [illegible] [illegible] [illegible]

[illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible].

<u>Ophthalmia scrophulosa</u>

[illegible] [illegible] [illegible] [illegible] [illegible] [illegible],

[illegible] d. h. bei einem [illegible] scrophulösen [illegible]

[illegible]

[illegible] Symptome der Scrophulosis [illegible]

[illegible] fistula [illegible]

[illegible] critis [illegible]

[illegible] Scrophelkranke [illegible]

Diathesis scrophulosa [illegible]

[illegible] afficirt [illegible]

[illegible] scrophulöse [illegible]

116.) die eine, [illegible] mit [illegible] [illegible] erscheint,
die andere, [illegible] mit einem [illegible] hervorgebracht.
In Bezug auf die Prognose ist zu bemerken, daß [illegible]
[illegible] mit der anderen Varietaet [illegible]
[illegible]
[illegible]
[illegible]
[illegible] die Prognose [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] Pupille [illegible]
[illegible]
[illegible]
mit der Cornea [illegible]
[illegible]
[illegible] auf der Cornea [illegible].

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

2te Periode. [illegible]

[illegible]

Therapie [illegible] Calomel [illegible]

[illegible]

21. [illegible]

[illegible] Sclerotica [illegible] violett [illegible] Cornea [illegible]

[illegible] Sclerotica [illegible]

[illegible] Sclerotica [illegible]

[illegible] Pupille [illegible]

[illegible]

[illegible] anomaler Weg [illegible]

[illegible]

122.) die [illegible] schon [illegible] [illegible] u. die [illegible] Nacht u. der Kr. hat das Gehör für immer verloren.

Therapie: sie erfordert Entfernung der ursächlichen Momente, also [illegible] u. [illegible] [illegible] [illegible] [illegible] [illegible] der kräftigen [illegible] u. [illegible] [illegible] Mittel [illegible]. [illegible] [illegible] Man gibt den Sublimat: zu 1/12 – 1/8 – 1 gr. [illegible] [illegible]

Rp. Hydrarg. sublim. corros.
solve quant. aq. destill. solut. gr j
Extr. quassiae
— Liquiritiae āā ʒj 3
f. l. a. pilul. No XXIV consperg. [illegible]

[illegible] [illegible] [illegible] [illegible] in Aether [illegible]

Rp. Hydrarg. sublim. corros. gr – ij
Solve in
Aether. [illegible] ʒj – ij
[illegible] XX [illegible]

Rp. Hydrarg. sublim. corros. gr j
[illegible] ʒij
[illegible]

[illegible]

[illegible]
[illegible]
[illegible]

Rp. Calomel
[illegible]
[illegible]

[illegible]
[illegible]

Rp. Aether vitriol.
[illegible]

[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

Rp. [illegible]
Aq. destill. ℥iv
Syr. [illegible]

[illegible]
[illegible]
[illegible]
[illegible]

Ophthalmia variolosa.

[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

124.) Am 2ten März wurde die Röthe der Conjunctiva [illegible]
[illegible]
[illegible]
[illegible]
Die Conjunctiva [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] Ophthalmie [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] Ophthalmie [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
Am 1ten März [illegible] Contagion
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

[illegible] Cornea [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] conii [illegible]
[illegible] aet. saturn. [illegible]

Aq. [illegible] 9 [illegible]
aq. destil. [illegible]
[illegible] aet. saturn. [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

[illegible] antimonial [illegible]
opii antimonial.

Ophthalmia morbillosa et scarlatinosa.

[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] Conjunctiva [illegible]
[illegible] Meibomschen [illegible]
[illegible] Cornea [illegible]
[illegible]

126. [illegible] die Augenlidränder [illegible]
[illegible] er
[illegible] Cornea. [illegible] der catharralischen
[illegible] ophthalmie [illegible]
[illegible]

Prognose ist im Allgemeinen [illegible]
[illegible] im 1ten u. 2ten Stadio [illegible]
[illegible], bei dem Scarlat[illegible]

Therapie. Örtlich [illegible] negative [illegible]
[illegible] Augen [illegible]
[illegible] miasmatischen Stoff [illegible]
[illegible] Mercurial-[illegible]
[illegible]
[illegible]
Im 2ten Stadio ist [illegible]
[illegible]
[illegible] rheumatischen [illegible]
[illegible]
[illegible] emetic [illegible]
[illegible] miasmatischen Stoff [illegible]
[illegible] mercurial [illegible]
[illegible] Aethiops antimonialis [illegible]
[illegible]
[illegible]

Ophthalmia Arthritica

[illegible]
[illegible] Haemorrhoidaire [illegible]
[illegible] chorioidea [illegible]
[illegible]
[illegible] ~~[illegible]~~ [illegible]
[illegible] arthritica [illegible]
[illegible]
[illegible]
[illegible] direct [illegible]

[illegible]

[illegible] ... varicositäten ... [illegible]

[illegible] ... Cataracta ... Glaucom ... [illegible]

[illegible] ... arthritische ... [illegible]

[illegible] ... arthritis ... [illegible]

129.

[illegible] ... Granulom ... [illegible]
[illegible]
[illegible]

[illegible] ... Linimentum ... opium ... [illegible]
[illegible] ... Exacerbation ... [illegible]
[illegible]
[illegible] ... Cammomillen ... [illegible]
[illegible] ... formale [illegible]
[illegible]
[illegible]
[illegible] ... arteria ... [illegible]
[illegible]
[illegible]

[illegible] ... Chinin ... [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
Extr. ... [illegible]
[illegible]
[illegible]
[illegible]

[illegible]
[illegible]
[illegible]
[illegible] ... 2–3 ... [illegible]

130.) [illegible]

Rp. [illegible]

[illegible] XXIV

[illegible]

[illegible] perpetuum [illegible]

Rp. [illegible]

M. f. [illegible]

[illegible] Augen [illegible] [illegible] [illegible]

Ophthalmia Aegyptica s. contagiosa

[illegible] Sclerotica [illegible] Conjunctiva [illegible]

[illegible] Sclerotica [illegible] Conjunctiva [illegible] Bulbi [illegible]

zu sehen, [illegible] Conjunctiva. 121.
[illegible] die Sclerotica [illegible] der Conjunctiva
[illegible]
[illegible]
[illegible] Conjunctiva, [illegible]
[illegible]
[illegible] Blennorrhoe
[illegible]
[illegible] Conjunctiva
[illegible]
[illegible]
[illegible]
[illegible] Conjunctiva [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] Blennorrhoe [illegible]
[illegible]
[illegible]
[illegible] Cornea [illegible]
[illegible] 4 Stadien [illegible] infectionis
[illegible] Abnahme [illegible] 4 [illegible]
[illegible] infectionis, [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] Conjunctiva, [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

132. [illegible]

[illegible] Sclerotica [illegible]

[illegible] Sclerotica [illegible]

[illegible] Sclerotica [illegible]

[illegible] Sclerotica [illegible]

[illegible]

134, [illegible]

[illegible] ungewöhnlich bei [illegible] d. chronisch. Oft wird sie im 1ten Stadio
chronisch [illegible] überhaupt einer acuten Verlaufs [illegible]
Gegentheil [illegible] eigenthümliche der [illegible]. Der
[illegible] ist ganz unbestimmt, oft einige
Stunden nach dem Beginnen oft längere Zeit, oft gar nicht.
Ebenso der Zeitraum des [illegible], das der
[illegible] oft [illegible] Schmerz [illegible]
[illegible] ist die [illegible] ganz [illegible],
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible].

Diagnose. [illegible]
[illegible] catarrha-
lischen [illegible] catarrhalischen [illegible]
[illegible] scler.
[illegible]
[illegible] rheumatischen [illegible].
[illegible]
2. catarrhalische [illegible]
[illegible] Schmerz [illegible]
[illegible]
[illegible]
[illegible]
[illegible] Conjunctiva
[illegible] Schmerz [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible].
[illegible] catarrhalischen [illegible]
[illegible] Conjunctiva [illegible]
[illegible]
[illegible]
[illegible].

186. Diesen leichten Grad [illegible] katarrhalischen Augenentzündung [illegible] wird
[illegible] Conjunctiva der Sclerotica [illegible]
[illegible] Auge [illegible]
[illegible] katarrhalische Augen[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] katarrhalischen Augen[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
Es hat diese [illegible] das ganze Auge ergriffen, [illegible]
[illegible] katarrhalischen [illegible]
[illegible]
Die Ursachen der gewöhnlichen katarrhalischen [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] chronisch
[illegible]
[illegible] katarrhalischen [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

[illegible] zur Schwerhörigkeit [illegible] ist möglich. [illegible]

A priori ist kein Grund, daß [illegible]

[illegible]

Aetiologie. [illegible]

[illegible] Contagium [illegible]

[illegible] Ob dispositio-
nen zu hören ist nicht [illegible] gemacht, daß [illegible]

[illegible] Dispositionen [illegible]

[illegible] Dispositionen sind sehr mannigfaltig [illegible]

[illegible]

123. [illegible] Congestionen [illegible]

[illegible] 9–11 [illegible]

[illegible] 22 u. 23 [illegible] Trag. [illegible]

[illegible] ... 4500 ... 3000 ... [illegible] ... Scrophulose ... [illegible]

[illegible]

[illegible]

1... 1. ... [illegible]

[illegible]

Hy. Hy. Aspid. nosr. [illegible]
Acet. Saturn. [illegible]
... [illegible] X X

M. S. S. 2–3 mal täglich [illegible]

[illegible]

[illegible] an den [illegible] 141.)
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] Bacteriotomie [illegible]
[illegible] Bacteria Termo [illegible]
[illegible]
[illegible] praeparirt [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] Spirill [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

142) [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] Expositio
[illegible]
[illegible] fomentum [illegible]
[illegible] Ex. opii. [illegible]
[illegible] Decoctum
[illegible] Ex. opii [illegible] M. [illegible]
fomenta [illegible] flor. samb. [illegible] acet. Saturn. [illegible]
opii [illegible] ʒij M. [illegible]
[illegible]
[illegible]
[illegible]
[illegible] irritabilitaet [illegible]
[illegible]
[illegible]
[illegible]
Opium [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] aromatischen [illegible] Calamus etc. [illegible]
[illegible] Ableitungen [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

[illegible] Opium [illegible]
[illegible] Decoct [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] partieller [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] Sydenham [illegible]
[illegible] Lap. divin.
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] lap. divi. [illegible] Rp. Lap. divin. gr. XII
Aq. destil. simpl. ℥iv
Acet. saturn. ʒß
Opii simpl. [illegible]

[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] lap. infernal. [illegible]
[illegible]
[illegible]
[illegible]
[illegible] mercur. [illegible] Opium [illegible]
[illegible] Acet. saturn. [illegible] Opium,
[illegible] Opium [illegible]
[illegible] Irritabilität [illegible]
[illegible]
Rp. Ungt. [illegible] rubr. [illegible]
[illegible] recent. [illegible] ʒj M. exactiss. [illegible]
Aq. [illegible] saturn.
[illegible] ʒß [illegible] appliciren.

144. ℞ Butyr. recent. insuls. ℥j ß
Hydr. [illegible] gr. x
[illegible] gr. ij
M. exacte f. ungt. ophthalm.

ii.
℞ Butyr. recent. insuls. ℥ß
[illegible] gr. XV
[illegible] ℈j
M. exacte f. ungt. ophthalm.

iii.
℞ Butyr. recent. insuls. ℥j ß
[illegible]
[illegible]
[illegible] ℈j
[illegible] gr. XV
M. exacte f. ungt. ophthalm.
[illegible] Extract [illegible] Compositi [illegible] extracte [illegible]

℞ Sal. ammoniac. gr. XV
Aq. [illegible] ℥j
[illegible]
[illegible]
[illegible]
[illegible] Borax [illegible]
[illegible] Boracis [illegible]
Aq. [illegible]
[illegible]

[illegible]

Vitriol-Auflösung in [illegible] [illegible] [illegible] [illegible] [illegible] 140.

[illegible]

[illegible]

Diese [illegible]

[illegible]

[illegible] Conjunctiva [illegible]

146, [illegible] das Zincum sulphur. u. Alaun [illegible] [illegible] [illegible] Calomel [illegible] [illegible] Grad [illegible] [illegible] [illegible]

[illegible]

Rp. Sulphur. aurat. antimon.
Calomel. āā gr. xij
Sacch. alb. ʒj
m. f. p. divid. in xij part. aequal.
S. täglich 2–3 Pulver zu nehmen.

Rp. Sulphur. aurat. antimon. gr. XXVj
Gummi guajac.
Sacchar. alb. āā ʒj
m. f. p. divid. in xij part. aequal.
S. täglich 3 Pulver zu nehmen

Rp. Sulphur. antimon. ʒj
Extr. Aconit. [illegible]
Gummi guajac. āā ʒj
m. f. pil. [illegible] gr. j
[illegible] [illegible]
S. [illegible] täglich 3–8 Stück zu nehmen.

[illegible]

Blepharophthalmia glandulosa s. Lippitudo 184.

[illegible]

[illegible]

1) die [illegible]
2) die catarrhalische [illegible]
3) die variolöse [illegible]
4) die scrophulöse [illegible]
5) die [illegible]

1) Blepharophthalmia erysipelatosa

[illegible]

148. Prognose. Ist im allgemeinen günstig.

Therapie. Diese ist sehr einfach und von dem gewöhnlichen [illegible] [illegible] Blut [illegible] Magnetismus [illegible] [illegible] [illegible] [illegible].

Blepharoconjunctivitis glandulosa [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]

Diese [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] ophthalmia angularis [illegible] [illegible] [illegible] Phaenomen [illegible] [illegible] [illegible] [illegible] [illegible] einen [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] der Augenlider [illegible]

Ophthalmia [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] Contagio [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]

[illegible]

157. [illegible]
[illegible]
[illegible] Quecksilber [illegible]
[illegible]
[illegible]
[illegible] Mucilag. sem. [illegible]
[illegible] Sublimat [illegible]
[illegible]
[illegible]
[illegible]

Rp. Hydr. muriat. corrosiv. gr. j
Aq. flor. Sambuci ℥iv
Mucilag. sem. Cydonior. ʒiij
Tinct. Opii simpl. ʒj

M. D. S. Augenwasser [illegible]
[illegible]
[illegible] etc.

3. Ophthalmia blennorrhoica Augenlidertripper

[illegible]
[illegible]
[illegible]
[illegible] ophthalmia neonatorum [illegible]
[illegible]

Symptome. [illegible] conjunctiva [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

zu bemerken, daß bei leidenden Kranken oft [illegible] aller
[illegible] und dann, wenn das Licht [illegible]
[illegible]
[illegible]
[illegible] der Reflex [illegible]
[illegible] der Conjunctiva [illegible]
[illegible] der Cornea
[illegible]
Tritt nun das Moment der [illegible] ein, so
[illegible] nicht allein [illegible]
[illegible] der Conjunct. [illegible]
[illegible], die Cornea [illegible]
[illegible]
[illegible]
[illegible] der Conjunctiva
[illegible]
[illegible]
[illegible]
[illegible] der Conjunct. Cornea [illegible]
[illegible]
[illegible] die Cornea [illegible]
[illegible]
[illegible]
[illegible]
[illegible] der Humor [illegible]
[illegible] die Cornea [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
Prognose [illegible]
[illegible]
[illegible] die Prognose [illegible] der Conjunctiva

163. [illegible]

[illegible]

Rp. [illegible]

[illegible]

[illegible]

[illegible]

Rp. [illegible]

[illegible]

[illegible]

Variolöse [illegible]

<u>Blepharophthalmia variolosa.</u>

[illegible]

übrigen Verhältnisse des Körpers. [illegible] geschlossen in der [illegible]

[illegible]

[illegible] Augenlides [illegible]

[illegible]

[illegible] Augenlider [illegible]

[illegible]

Therapie. Die Behandlung [illegible]

[illegible]

[illegible]

Syphilitische Augenlidentzündung

[illegible] Augenlides [illegible]

[illegible]

154. [illegible]

[illegible]

[illegible] Griechischer oder Lateinischer [illegible] Metamorphose [illegible]

[illegible] Symptome [illegible]

[illegible]

[illegible] idiopathisch oder symptomatisch [illegible]

Therapie. [illegible]

[illegible] Dulcamara etc.

Rp. Sulphur. aurat. antimon.
[illegible] gr. xii
[illegible] [illegible]
M. f. [illegible] in xii [illegible] [illegible]
[illegible] antimon [illegible]
[illegible] sulphur.
Sacchar. alb. [illegible]
[illegible] [illegible] [illegible]
[illegible] [illegible]
Rp. [illegible] mineral.
Extr. [illegible]
Aethiops. antimon. [illegible]
Camphor. [illegible]
formentur c. [illegible] pulv. [illegible] Lycopod.
S. 3mal täglich 5 Stück
[illegible] [illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] Mittel [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] Decoct [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible]
Rp. Nitros. alb. gr. [illegible]
Aq. destil. simpl. [illegible]
[illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible]
Rp. Natr. [illegible] [illegible]
[illegible] gr. x
[illegible] gr. [illegible]
[illegible] [illegible] gr. x
M. f. [illegible] [illegible]
S. 2mal [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible]

156.) [illegible]

[illegible]

[illegible] Exulcerationen

Symptome [illegible]

[illegible]

[illegible] Ulceration [illegible]

[illegible]

Prognose [illegible]

[illegible]

Therapie [illegible]

[illegible] Mittel [illegible]

[illegible] Praecipitat Salbe [illegible]

[illegible]

[illegible] ... rantis inflamatoria [illegible]

[illegible]

[illegible] ... Calomel ... [illegible]

[illegible]

[illegible] ... Sacchar. [illegible]

[illegible]

160. [illegible]

[illegible] Operation.

Ankylosis

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

162. [illegible]

[illegible] 1863,
[illegible]
[illegible]

[illegible]

[illegible] XII — XV.

[illegible]

[illegible] hor. XII–XX.

[illegible] 4 mal [illegible]
[illegible] 8 [illegible]

D[illegible]

[illegible]

164. [illegible]

[illegible]

[illegible]

[illegible]

wird in Mittelmeer[illegible] [illegible] [illegible] Symptome
Convulsionen [illegible] [illegible] [illegible] [illegible]
der Parotiden [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible]
[illegible]
[illegible]
[illegible]
[illegible]

Der Ausgang der Otitis sind [illegible] [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] externe [illegible] [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

Prognose. [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] catarrhalischen [illegible]
[illegible]
[illegible]
[illegible]

166) [illegible] Tuba Eustachii [illegible]

[illegible] Tuba Eustachii [illegible] Synovia[illegible]

[illegible] Otitis [illegible] purulenta [illegible] genuine [illegible] caries [illegible] Processus mastoideus [illegible] Processus mastoideus [illegible]

[illegible]

188, durch erweichende Cataplasmen befördern [illegible]

[illegible]

[illegible] in Verbindung mit [illegible] oder Opium [illegible]

[illegible] Complicationen [illegible]

[illegible]

179. Rp: Ammoniacal. salis: [illegible]
Spirit. Sal: ammon: [illegible]
camphorae [illegible]
M.D.S. [illegible]
[illegible] [illegible]
camphor: [illegible]
M.D.S. [illegible]
[illegible] Rp: [illegible]
Olei: Castor: [illegible]
Sal: ammon: [illegible]
tinct: [illegible]
camphor: [illegible]
Sp: [illegible] aether [illegible]
M.D.S. [illegible]
[illegible] Rheumatismus [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
Rp. [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

[illegible] Glas[illegible]

[illegible]
[illegible]
[illegible]
[illegible]

1812. [illegible]

[illegible]

[illegible]

1. [illegible]

2. [illegible]

3. [illegible]

4. [illegible]

[illegible]

[illegible]

[illegible] ein ziemlich großer [illegible]

[illegible]

[illegible] Parthie [illegible]

[illegible]

[illegible]

[illegible] bei ärztlicher Behandlung berücksichtigt wenn der Zustand des [illegible]
[illegible]

Rp. [illegible]

[illegible]

Rp. [illegible]

[illegible]

Rp. [illegible]

[illegible]

118.) [illegible]

[illegible]
[illegible]
[illegible]

[illegible]

[illegible] — XX — XXX

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

182. [illegible]

[illegible] 183 [illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Panaritium. [illegible]

[illegible]

[illegible] unterscheidet [illegible] Varietäten.

1. Panaritium cutaneum [illegible]
panaritium [illegible]
[illegible]
2. [illegible] panaritium subcutaneum [illegible]
3. [illegible] Panaritium [illegible] tendinosum.
4. [illegible] Panaritium periostale [illegible]
5. [illegible]

[illegible] Zufälle [illegible] Panaritium cutaneum [illegible] Subcutaneum [illegible]

188. [illegible]

[illegible]

Die Secretion des Magens [illegible]

[illegible]

Die andern Parasiten [illegible]

[illegible] Speciell [illegible]

[illegible]

Die Secretion des Magens [illegible]

[illegible]

[illegible]

[illegible] Mercurial- [illegible]

[illegible]

Besonderer Theil.

1te Hauptabtheilung.

Allgemeine Lehre von den Geschwülsten.

[illegible]

[illegible] productionen [illegible]

[illegible] [illegible]

[illegible] [illegible]

[illegible] zerstreuend.

[illegible] [illegible]

[illegible] Markzeugen. [illegible]

[illegible] aesthetisch [illegible]

[illegible]

Differenzen [illegible]

[illegible]

[illegible]

[illegible]

190. [illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Aetiologie u. Diagnostik [illegible]

[illegible]

[illegible]
198. [illegible] Rost [illegible]
[illegible]
[illegible]
[illegible] Vegetation [illegible] afficirten Gebilde [illegible] Function [illegible]
[illegible]
[illegible]
[illegible] proportionell [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] Constitution [illegible]
[illegible] Moment [illegible]
[illegible]
[illegible] disponirenden [illegible]
[illegible] abnorme Beschaffenheit [illegible]
[illegible] Organismus [illegible]
[illegible]
[illegible] normaler [illegible]
[illegible]
[illegible] Abnormität [illegible]
[illegible] Reproductives Organ [illegible]
[illegible]
[illegible] Menstruation [illegible]
[illegible]
[illegible] Fieber [illegible]
[illegible]
[illegible]
[illegible] Dispositionen [illegible]
[illegible]
[illegible]
[illegible]

[illegible] Veränderung [illegible] als Merkmal
zu [illegible] ein Geschwür [illegible]
gegen [illegible]
Die Form des Geschwüres wird durch den wachsenden
Substanzverlust des Geschwüres gerundet u. die Geschwürränder
selbst [illegible]. [illegible] Rand des Geschwüres [illegible]
[illegible]
[illegible]
[illegible] Substanzverlust [illegible]
Ränder: Man trifft ihn daher bald mehr zirkelrund,
bald mehr oval, bald unregelmäßig winkelig, bald
[illegible]
[illegible] aber [illegible]
[illegible]
bald findet er ihn fast mit dem Grunde des Geschwüres
vereinigt, bald mehr oder weniger abgerundet,
[illegible]
[illegible]
[illegible] violett, [illegible] callös [illegible]
[illegible]

[illegible]

200. [illegible]

[illegible]

[illegible]

[illegible]

[illegible] Organismus [illegible]

[illegible] Organisation [illegible]

[illegible] Diagnose [illegible]

[illegible]

202.) [illegible]

[illegible] der Abschneidung [illegible]

[illegible]

[illegible]

Die callösen Geschwüre [illegible]

[illegible]

Das ödematöse Geschwür [illegible]

[illegible]

[illegible]

[illegible]

26. [illegible]

[illegible] Atmosphaere [illegible] hospitalluft [illegible]

[illegible]

[illegible]

[illegible]

[illegible]

3 [illegible]

4 [illegible]

5 [illegible]

[illegible]

216. [illegible]

218. allgemeinen Merkmale und zu Hülfe unserer [illegible] sind [illegible] folgende:

a Alle [illegible] [illegible] Funktion [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]

b [illegible] abnorme [illegible] Excretion, [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]

c [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]

[illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]

4. [illegible] [illegible] [illegible] [illegible] [illegible] Extremitaeten [illegible] Gelenken

5. [illegible]

[illegible] in einer Exacerbation [illegible] pag. 210.
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] exhalatorischen [illegible]
[illegible]
[illegible] 4 [illegible]
[illegible]
[illegible]
[illegible] abnormer Secretion [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

220. [illegible]

[illegible] 3–4 [illegible]

[illegible] Linien [illegible]

[illegible] Wissenschaft [illegible]

[illegible] nicht [illegible]

[illegible] Gestalten [illegible]

[illegible] Geschwüren die [illegible] der [illegible]
[illegible], die Verschwärungen der Lippen u. überhaupt alle
Stellen [illegible] zu [illegible] des syphilitischen Giftes
geeignet sind, gehört die Zeit des [illegible]
Die Form einer syphilitischen Geschwüre [illegible]
[illegible] einer venerischen Syphilis [illegible]
[illegible] des Körpers [illegible]
[illegible] an solchen Stellen [illegible] der [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] der afficirten
[illegible] Stellen [illegible]
[illegible]
[illegible]
[illegible] violette [illegible]
[illegible] Stellen [illegible]
[illegible]
[illegible] Charakter. [illegible]
Phänomenen [illegible]
[illegible]
[illegible]
[illegible]
[illegible] Phänomenen der [illegible]
Syphilis [illegible]
[illegible] Stelle [illegible]
[illegible]
[illegible] Stelle zu einem Geschwür
[illegible]
[illegible]
[illegible]
[illegible] Local Syphilis [illegible]
[illegible]
[illegible] Syphilis, [illegible]

222. [illegible]

[illegible] Ulceration. [illegible]

[illegible] die venetischen Gefässe [illegible] 223.
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

Gefässe [illegible] allgemeineren [illegible]
[illegible]
[illegible] Gefässe. [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] Speiss [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
II [illegible]
[illegible]
[illegible]
[illegible]

224. [illegible]

III [illegible]

IV [illegible]

[illegible]

[illegible] 225 [illegible]
[illegible]
[illegible] Krankheit [illegible]
[illegible]

Prognose der Geschwülste im Allgemeinen

[illegible] Prognose: [illegible]
[illegible]
[illegible] Prognose [illegible]
[illegible]
[illegible] Prog. [illegible]
[illegible]

[illegible]

[illegible] nach den [illegible] 227.
[illegible]
[illegible] Titulation [illegible]
[illegible]
[illegible]
[illegible]
[illegible]

Therapie. [illegible]
[illegible]
[illegible] allgemeinen [illegible]
[illegible] Leiden [illegible]
[illegible] Organismus [illegible]
[illegible] allgemeinen Leiden [illegible]
[illegible] 1. [illegible]
[illegible] allgemeinen [illegible] 2. [illegible]
[illegible] 3. [illegible]
[illegible]
4. [illegible] allgemeinen [illegible]
[illegible]
[illegible]
[illegible] allein [illegible] 12
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] allgemeinen [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

[illegible]

[illegible]

230. [illegible]

[illegible] Pulv. pomerancii cortici aurant. [illegible] 231

[illegible]

[illegible] Pulv. pomeranc. [illegible]

[illegible]

[illegible] China, Rheum [illegible]

[illegible] aqua calcis [illegible]

[illegible] Rp. [illegible]

[illegible]

Rp. [illegible] aurant. [illegible] XII

[illegible] rad. [illegible]

[illegible]

[illegible]

251.) [illegible]

[illegible]

[illegible]

[illegible]

[illegible]

234, [illegible]

[illegible]

Rp. [illegible] cort. chin. peruv. gr. XV
calam. aromat. gr. V
Sacchar. alb. ℈j
M. f. [illegible] dent. tal. dos. [illegible] No. XII
S. [illegible] 3–4 mal [illegible]

#

Rp. [illegible] cort. chin. flav. gr. X
calam. aromat. gr. ij–iij
M. f. [illegible] dent. tal. dos. No. XII
S. [illegible] 4–6 mal 1 [illegible]

#

Rp. Rad. calam. aromat. [illegible]
coq. f. [illegible] aq. font. [illegible]
colat. ℥x – XII
Syrup. cinnamom. ℈j
M. D. S. [illegible]

#

Rp. Cort. chin. peruv. ℥j
coq. f. [illegible] Ѵ [illegible]
colat. ℥x
Tinct. aromat. acid. [illegible]
Syrup. cort. aurant. ℥j
M. D. S. [illegible]

#

Rp. Cort. chinae contus. ℥j
coq. f. [illegible] linem [illegible]
calam. aromat. [illegible]
[illegible]

[illegible]

Rp. Cort. chinae contus. [illegible]
[illegible]
[illegible]
[illegible]
Elixir acid. Hall. [illegible]
Syrup. cort. aurant. [illegible]
M. [illegible]

[illegible]

Rp. Pulv. cort. chinae
flor. chamomill. ana [illegible]
Camphor [illegible]
[illegible]
[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

226.) Die [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]
normal Formen als die [illegible] [illegible] [illegible]
[illegible]

[illegible]

[illegible]

238. [illegible]

[illegible] zum Verband.

[illegible]

[illegible] Theilung [illegible]

[illegible]

242. [illegible]

[illegible] Compressionen [illegible]

[illegible]

[illegible] concentrischer [illegible]

[illegible]

[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] abnorm[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] Tacts [illegible]
[illegible]
[illegible] porcellan[illegible] acantha[illegible]
[illegible] Calces [illegible]
[illegible] op. Don. ~~[illegible]~~ acanthium
[illegible] facit [illegible]
[illegible] acid. [illegible]phor [illegible]
[illegible]
[illegible]

[illegible]
[illegible] phosphor [illegible]
[illegible] calcum [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

[illegible]
24 calcis [illegible]
[illegible]
[illegible]

244. [illegible]

Rp. [illegible] Sabin. [illegible]
[illegible] quant. sq. [illegible]
[illegible] : 3x
[illegible] : 3ß
[illegible]
pro [illegible] extern.

[illegible]

[illegible] 6ß [illegible]

[illegible]

[illegible]

[illegible]

Rp. [illegible]

[illegible]

[illegible]

[illegible]

2) [illegible]

[illegible]

Rp. [illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible] ... Mittel ... [illegible] ... Organismus ... [illegible] ... Form ... [illegible]

[illegible] ... Mittel ... [illegible]

[illegible] ... Rad: valer. aromat. ... [illegible]

[illegible] ... Stipit: Dulcam: ... [illegible]

Rp. [illegible] Extr. Stipit: Dulcamar:
[illegible]
[illegible]
[illegible]

[illegible]

[illegible] 247, [illegible]
[illegible]

[illegible]

31.

[illegible] 1, auf [illegible] Indicationen: 1, auf [illegible] [illegible] Assimilation [illegible] Organe [illegible] anomalen [illegible]
2, [illegible] Organisations-[illegible]
[illegible] Organismus [illegible]
[illegible] Assimilation [illegible] Secretions organe [illegible]

250, Absinth. Centaur. minor. Cardui Benedict. gentian. Calam. aromat. [illegible] [illegible] in [illegible] [illegible]
Gm. guajac. Stipit. Dulcamar. [illegible] [illegible]
[illegible] [illegible] Sarsaparill.
Lign. guajac. graminis [illegible] Camphor [illegible]
[illegible] alb. [illegible] mercurial. [illegible]
[illegible] Digital. [illegible]
[illegible] etc.
[illegible]

Rp. Gm. guajac.
Extr. [illegible]
— [illegible]
— [illegible] aa ʒij
— [illegible] ℈i
[illegible] ℈i
Sulphur aurat. antimon. ʒij
M. f. pillul. gr ij consp. [illegible]
D. S. [illegible]

Rp. Sapo venet.
Extr. Trifol. fibr.
Gm. guajac. aa ʒij
Sulphur. aurat. antimon. ʒß
Calomel. gr XV
Camphorae ℈ij
M. f. pillul. gr ij [illegible]
D. S. [illegible] 5–10 [illegible]

[illegible]

[illegible]

[illegible] Spirit. Minder. [illegible]

[illegible]

[illegible]

[illegible]

[illegible] Theorie [illegible]

[illegible]

[illegible] Antimonial, Mercurialien [illegible] Sublimat [illegible]

[illegible]

[illegible] 252,
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] antimonium.
[illegible]
[illegible] Sublimat. [illegible]
[illegible]
[illegible]

[illegible]
[illegible]
[illegible]

[illegible]
[illegible]
[illegible]
[illegible]
[illegible] vegetabiliska [illegible] Medel, [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] Medeln [illegible]
[illegible]

Rj: Lac: Sulphur: ʒj
Sal. [illegible]: tartar: ʒj
Aq: rosar: [illegible]

[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

254. [illegible] Regeln der Therapie behandelt.

Therapie der Krebs-Geschwüre. [illegible]

[illegible]
2. [illegible]
3. [illegible]
4. [illegible]
[illegible]
5. [illegible]
[illegible]

[illegible]

1. [illegible]
2. [illegible]
3. [illegible] 40 [illegible]

[illegible]

258. [illegible]

[illegible] 15 – 18 [illegible]

[illegible] Vogel [illegible]

[illegible]

M. N. [illegible]

[illegible]

5. [illegible] 25j.
[illegible]
6. [illegible] Bagarten [illegible]
[illegible]
[illegible]
7. [illegible]
[illegible]
8. [illegible]
9. Ferrum [illegible] gtt X – XX [illegible]
[illegible] Tart. [illegible]
Rp. Ferri tartarici gr iij
Elaeosacchar. [illegible] X
[illegible] XX [illegible]
[illegible]
[illegible]

Rp. Ferri acetici ℈j
[illegible] ʒviij
M. D. S. [illegible]

10. [illegible]
[illegible]
Rp. Magn. ust. ℈j
Lact. [illegible] ℈j
M. S. [illegible]
[illegible]
11. Auri [illegible] [illegible]
[illegible] Rp. Auri [illegible] gr ij
Extr. [illegible] ℈j
f. l. a. pil. no. XXX
[illegible]
[illegible]
12. [illegible]
[illegible]

Alt. 13. *Tartarus Boraxatus.* [illegible]

[illegible]

[illegible]

Rp. Tart. Boraxat. ℥ii

[illegible]

[illegible]

Rp. Tart. Boraxat. [illegible]

Extr. [illegible]

[illegible] ℥iii

[illegible]

[illegible] Carotten [illegible]

[illegible]

Rp. Extr. [illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Rp. Extr. [illegible]

[illegible] flor [illegible]

[illegible] carbonis [illegible]

M. f. pill. [illegible]

[illegible]

[illegible]

[illegible]

[illegible] arx [illegible]

[illegible]

262. [illegible]

[illegible]

264. [illegible] auch [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

Die [illegible] ihren äußeren [illegible] in einer krankhaften
Thätigkeit und plastischen Bildungstrieb, oder in einem
abnormen Bildungstrieb, wodurch der abgelagerte
thierische Stoff [illegible] das [illegible] Product[illegible]
statt in Organisations Kraft verwandelt wird
[illegible], daß, wenn die Organisation abhängig sich
[illegible], oder der [illegible] bezeigt [illegible]
[illegible] Organisationsprocesses wodurch der [illegible]
Stoff an einem [illegible] Organismus [illegible] wird,
und nicht mehr unterhalten, sondern sich nach[illegible]
[illegible] Masse ausbildet.

Hierher gehören die Pseudoorganisationes.

1. Tumores [illegible] oder Balg oder [illegible]
[illegible] Balg [illegible] Balggeschwulst ist [illegible]
[illegible] Zellen [illegible] der [illegible]
[illegible], welche [illegible] Balggewebe, unter der
[illegible] mehr oder minder [illegible]
[illegible].

Diese Geschwülste sind mehr [illegible], [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] sondern sie sind [illegible]
[illegible]

 [illegible]

[illegible]

1. [illegible]

2. [illegible]

3. [illegible]

4. [illegible]

5. [illegible]

6. [illegible]

7. [illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

4. [illegible]

5. [illegible]

6. [illegible]

[illegible]

270 [illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]
[illegible]
[illegible] 3 [illegible]

[illegible] Condylomata.

[illegible]

Prognose [illegible]

Therapie [illegible]

℞. Hydr. muriat. corrosiv. [illegible]
Camphor. [illegible]
Spirit. vini rectificat. [illegible]

[illegible] 3–4 mal über [illegible]

272 [illegible]

Hühneraugen. Clavus.

[illegible]

Ursachen. [illegible]

Therapie. [illegible]

[illegible]

[illegible]

[illegible]

5. [illegible]

[illegible]

Ruptura. [illegible]

Therapie. [illegible]

274. der Sublimat … [illegible]
[illegible]
[illegible]
[illegible]
[illegible] … Pasta [illegible]
[illegible] Cancroin [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

3. [illegible] (Sarcoma [illegible])

[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] organisirt [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

Therapie. [illegible]
[illegible]
[illegible]

durch eine fehlerhafte Bildung rudimentär geworden. [illegible]

[illegible] Zahnfleischgeschwulst epulis [illegible]

Ursachen. Sie sind [illegible] Folge einer allgemeinen [illegible] alveolar [illegible]

Therapie. Man [illegible] Alveolar [illegible]

6. Fleischwarze Caruncula.

[illegible]

[illegible] palliativ [illegible] antiphlogistischen [illegible]

[illegible]

[illegible] Exulcerationen [illegible]

Polypen.

[illegible]

278, [illegible] etc.

[illegible]

1. [illegible]

2. [illegible] Folgen. [illegible]

3. [illegible] Folgen. [illegible]

4. [illegible] folgen. [illegible]

[illegible]

1. [illegible]

Diagnose. [illegible]

[illegible]

[illegible] Lac. Sulph. Balsam. Sulph. [illegible] antimon. [illegible] sulphur. [illegible] etc. [illegible]

 [illegible]

[illegible]

[illegible]

V. Capitel.

§ 1. [illegible]

[illegible]

2. [illegible] [illegible]

[illegible]

3. Polypen im Kehlkopfe. [illegible]

4. Polypen der Speiseröhre. [illegible]

5. Polypen im Uterus. [illegible]

[illegible]

6. Polypen der Gebärmutter. [illegible]

[illegible] einen Prolapsus uteri cum inversione. [illegible]

[illegible] Excrescenzen [illegible]
[illegible]
[illegible]
[illegible] Polypen [illegible]
[illegible] Uterus [illegible]
[illegible]
[illegible] Polypen [illegible]
[illegible] Uterus [illegible] Uterus [illegible]
[illegible]
[illegible] Polypen [illegible]
[illegible] Polypen [illegible]
[illegible] Uterus
[illegible]
[illegible] Uterus [illegible]
[illegible] Uterus [illegible]
[illegible]
[illegible] Uterus
[illegible] Polypen [illegible]
[illegible] Uterus [illegible]
[illegible] Uterus
[illegible]
[illegible]
[illegible]
[illegible] Uterus [illegible] Polypen [illegible]
[illegible]
[illegible] Uterus
[illegible]
[illegible]
[illegible]
[illegible] Polypen [illegible]
[illegible]

289. [illegible] Cinnamom [illegible]

[illegible]

Rp. extr. [illegible]
Flor. sal. ammoniac.
[illegible] martial.
[illegible]
[illegible] aa ʒj
Ol. [illegible] gtt. XII
M. f. pil. [illegible] Cinam.
[illegible]

Rp. Lapid. cancr. gr. XII
Tr. cinnam. ʒj
∇ menthae ʒiii
Syrup. cinam. ʒß
M. D. S. Alle Stunden ein [illegible]

[illegible] Polypen [illegible]

[illegible]

280. [illegible] [illegible]

[illegible] Formen [illegible]

[illegible]

Prognose [illegible]

[illegible] Scirrhus [illegible]

Therapie. [illegible] Scirrhus [illegible] Mittel [illegible] Scirrhus [illegible] Mittel [illegible] Calend. [illegible]

[illegible]

[illegible]

Prognose. [illegible]

Therapie. Die Exstirpation [illegible] Amputation [illegible] Extremitäten [illegible]

9. Fungus articulorum, Tumor albus.

[illegible]

[illegible]

[illegible]

[illegible]

<u>Prognose.</u> [illegible]

<u>Therapie.</u> [illegible]

292. [illegible]

[illegible]

[illegible]

× squilit: [illegible]

[illegible]

294. [illegible]

[illegible]

[illegible]

[illegible]

III. [illegible]

[illegible]

[illegible]

12. [illegible]

[illegible]

[illegible]

[illegible] Syphilis, Rachitis [illegible]

[illegible] Dolores osteocopi [illegible]

Therapie [illegible]

13. [illegible]

98. [illegible]

Krankheiten [illegible] 5. 289)

[illegible]

1. Luftbildung: Pneumatosis.

2. [illegible]

3. [illegible]

[illegible]

1. Emphysema [illegible]

2. Pneumothorax [illegible]

3. Tympanitis [illegible]

4. Pneumatocele [illegible]

[illegible] Gas [illegible] Luft [illegible]

302. [illegible] die [illegible] zu [illegible].
[illegible] auf den operativen [illegible]
[illegible]
[illegible]
[illegible]
[illegible] [illegible], [illegible]
diaphoretica, purgantia etc. [illegible]
[illegible] dem [illegible]
[illegible]
[illegible] folgende Formen:
a. Hydrocephalus: [illegible] anomale [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] Hydrocephalus [illegible]
[illegible]
[illegible]
Prognose: [illegible]
[illegible]
[illegible]
[illegible]

[illegible] Fall [illegible]

[illegible]. Man [illegible] die [illegible] Squilla [illegible] Digital [illegible]

℞ [illegible]

[illegible]

[illegible]

[illegible]

M. f. P. [illegible] Dos. No X

[illegible] Hydrops [illegible]

[illegible]

[illegible] Hydrocephal. [illegible] Eisen [illegible]

[illegible]

[illegible] Extremitäten [illegible]

[illegible] Hydrocephal. [illegible]

[illegible]

Therapie. [illegible]

[illegible]

[illegible]

[illegible]

Rp. [illegible] [illegible] pulv.
[illegible] XII gr.
[illegible] gr. [illegible]
[illegible] m. f. [illegible] XII
[illegible]

Rp. Calomel
[illegible] pulv. [illegible] gr. XII
[illegible]
[illegible]
[illegible]
[illegible] in XII [illegible]
[illegible]

Rp. [illegible] pulv. [illegible]
Extract. [illegible]
[illegible]
[illegible]
Sacchar. alb. [illegible]
M. f. [illegible] XII [illegible]

Rp. Extr. [illegible] [illegible]
[illegible]
[illegible]
[illegible]
[illegible] pill. [illegible]
[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

301. [illegible]

Aërothorax. Ein [illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Rp. [illegible]

[illegible]

[illegible] operativen Chirurgie [illegible]

[illegible]

[illegible]

[illegible]

[illegible] ... *Hernia* [illegible] ...

[illegible]

2. mit *Sarcocele*. [illegible] ... *Sarcocele* [illegible] ... *Sarcocele* [illegible]

3. mit *Hydrosarcocele* [illegible] ... *Hydrosarcocele* [illegible] ... *Hernie* [illegible] ... *Complicationen* [illegible] ... *Sarcocele* [illegible]

[illegible]

311. Prognose: [illegible]

Therapie: [illegible] Spirit. Mindereri an, [illegible] Sal. amon. [illegible]

Rp. Sal. amon. ʒi
acet. [illegible]
Spirit. vini rectificat. āā ℥ii
M. D. S. [illegible]

[illegible] Sal. amon. in acet. [illegible] amon. [illegible] Hoffmann [illegible] aether [illegible] Suspensorium scroti [illegible] radical [illegible]

3) Hydroenterocele (Hydrops [illegible])
[illegible]

[illegible]

4.) Hydrocele [illegible]

[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] Hydatocele [illegible]
[illegible]
[illegible] Hydatocele [illegible]
[illegible] Hydrocele.
[illegible] Cur [illegible] auf die Operation.

5.) Hydrocele tunicae vaginalis propriae [illegible]

[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

21.) [illegible]

[illegible]

[illegible] Prognose. [illegible]

6. [illegible]

[illegible] varietaet [illegible]

7.) Hydrops articulorum [illegible]

[illegible]

[illegible]

[illegible] [illegible]

[illegible] [illegible] Pflegmone (margin note) [illegible]

[illegible] Spirit. [illegible] Spirit. [illegible] fontanellen [illegible]

[illegible] Spirit. Sal amon: caust. camphorat [illegible]

 [illegible]

[illegible]

Steinkrankheit. Lythiasis

[illegible] Concrementen [illegible]

[illegible] Organen [illegible]

Ursachen. [illegible] anomalen [illegible]

[illegible]

Außer dem [illegible]

[illegible]

[illegible] Climaten [illegible] 1315.
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] etc.
[illegible] <u>[illegible]</u> [illegible]
[illegible] flatulenz, Collik [illegible]
[illegible] Arthritis [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] differirt [illegible]
[illegible]
[illegible]
[illegible]
[illegible] Crisis [illegible]
[illegible]
[illegible]
[illegible]

316.) [illegible] in der Harnblase [illegible] anderen Organen [illegible]
[illegible] mechanischen Reiz [illegible]
[illegible]

3) Nach dem Sitze des Reizes [illegible]
[illegible] in der [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] Cystitis, [illegible]
urethritis etc. [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

[illegible] in fossa navicularis oder der [illegible] urethrae. 217.

Prognose. [illegible]

Therapie: [illegible] radical [illegible].

1. Palliativ-Kur. [illegible] Extr. [illegible] [illegible]

℞. Extr. [illegible] [illegible] gr. [illegible] | ℞. [illegible] [illegible] ℥j
Spirit. [illegible] | mucilag. gm. arabic. [illegible]
M. D. S. [illegible] XL [illegible]. | Syrup. althae ℥j
| M. D. S.

[illegible] Opium, Hyoscyam. [illegible] Cicuta, [illegible]

2. Radical-Kur. [illegible]

[illegible]

318. [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] flor. uvae ursi [illegible]
[illegible] terrestris, [illegible] virga aurea, ab-
sinthii, millepedes, canthariden, [illegible]
[illegible] [illegible]

Rp: Sap. venet.
flor. uvae ursi aa ℥ij
camphor. ʒj
[illegible]
Terebinth. q. s.
ut f. [illegible] pill. gr. ij
conspergantur pulv. flor. [illegible]
[illegible] 10–12 [illegible]

[illegible] natr. carbon. [illegible] salis [illegible]
[illegible]

Rp: Natr. carbon. ʒj
— muriatic. ʒj
— sulphur. ʒij
M. D. S. [illegible]
[illegible]

Rp: Kali carbon. ℥iij
Aq. destill. ℔ij
M. D. S. [illegible]

Rp. Cinae [illegible]
calc. viv. pulveris. ʒj
Kali carbon. ʒj
Terebinth. q. s.
ut f. pil. gr. ij
D. S. [illegible]

[illegible]
[illegible]
[illegible]
[illegible]

Rp: Ferri muriat.
[illegible] sulphuris aa ʒj
[illegible] rad. althaeae ʒij m. f. pill. gr. ij [illegible]

321.

2. [illegible]

[illegible] contractive und expansive Kraft.

[illegible]

1. Contractilität [illegible]

[illegible]

[illegible] Expansion

[illegible] Contractilität [illegible]

[illegible]

[illegible] Contraction.

Lage interna [illegible]
[illegible]
[illegible] Lage interna. [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] nun!

2) [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] Instruktion
Conversation [illegible] Carnea [illegible]
etc. [illegible] Lanelli [illegible]
[illegible]
[illegible] Collier [illegible]
[illegible]
[illegible] analyse(?) [illegible]
[illegible]
[illegible] Dietrich(?) [illegible]
[illegible]

324) [illegible]

[illegible] processus mastoideus [illegible]

3. Caput obstipum.

[illegible]

[illegible]

5. [illegible] [illegible]

[illegible]

Behandlung. [illegible] Althaea [illegible]

[illegible]

6) [illegible] [illegible]

[illegible] contrahirt [illegible] retrahirt [illegible]

[illegible]

[illegible] normal [illegible]

[illegible] mechanisch [illegible] Contraction [illegible] Antagonist [illegible]

[illegible]

[illegible] Operation [illegible]

[illegible] Muskeln [illegible]

[illegible] Kalt [illegible]

[illegible]

c. [illegible] anchylotica [illegible]

[illegible] Luxatio spontanea epistro-pheus vom Atlas oder der atlas vom processus odon-toideus [illegible] afficirt [illegible]

Diagnose. [illegible] rachitis [illegible] Arthrocace [illegible] characteristisch [illegible]

332. [illegible] arterie [illegible]
[illegible]
[illegible]
[illegible]

Therapie [illegible]
[illegible]
[illegible]
[illegible] lauter actuale [illegible]

4) Contracturen, Stricturen der [illegible]
[illegible] anomalen [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
Behandlung [illegible] mechanische [illegible]
[illegible]
[illegible] Excrescenzen [illegible] Urethra [illegible]

5) Contracturen [illegible]
[illegible]
[illegible] Haemorrhoidal [illegible] Sperat [illegible]
[illegible]
[illegible] Excrescenzen [illegible]

6) [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
Behandlung [illegible]
[illegible] mechanische [illegible]

[illegible]

7. [illegible]

[illegible]

320. [illegible]

[illegible]

[illegible] *Oeconomie* [illegible]

[illegible]

[illegible] partielle [illegible]

[illegible] Varices [illegible] Laxatio [illegible]

[illegible]

[illegible]

[illegible] aromatischen [illegible]
[illegible]
[illegible] relaxirender Mittel [illegible]
[illegible] Mittel [illegible]
z. B. Spirit. matricar. serpill. Bals. vit. Hoffm. Spirit. aether. [illegible]
[illegible] periodisch [illegible]
[illegible] contra[illegible]
[illegible]
[illegible] Schnitt [illegible]
[illegible]
[illegible] specifisch [illegible]
[illegible]

382. 3. Curvatura penis [illegible]

[illegible]

2. [illegible]

[illegible]

[illegible]

Prognose [illegible]

Behandlung [illegible]

1. [illegible]

2. [illegible]

3. [illegible]

[illegible]

Complicationen [illegible]
[illegible] Contractionen [illegible]

[illegible] varicosen [illegible]

1. [illegible] varix [illegible]

[illegible]

[illegible] Extremitaeten [illegible]

[illegible]

[illegible] varices [illegible]

[illegible]

No. 6. [illegible]

Wai ton

[illegible]

[illegible] 237

[illegible]

[illegible] coagulirte [illegible]

[illegible] formationen [illegible]

[illegible]

2. [illegible]

[illegible]

[illegible]

[illegible]

[illegible] N° XII

[illegible]

[illegible]

[illegible] exaltirt [illegible]

[illegible]

[illegible] apostir [illegible]

[illegible]

[illegible]

[illegible] exa[illegible]

[illegible]

[illegible] Mittel [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
$\frac{1}{4}$ oder $\frac{1}{4}$ Theil [illegible]
[illegible]
[illegible] ab, [illegible]
[illegible]
[illegible]
[illegible] Operation [illegible]
[illegible]
[illegible] exstirpiren [illegible]
[illegible]

3) [illegible] Cirsocele Varicocele, Spermatocele

[illegible] varicöse Ausdehnung der Venen des Samen-
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

[illegible] Fluctuation [illegible]

[illegible]

Prognose. [illegible]

Therapie. [illegible] Solutio Sal ammoniac [illegible] Operation [illegible] Exstirpation [illegible]

4. Lagophthalmus. [illegible]

342. [illegible]
[illegible]
[illegible]
Blut[illegible]
[illegible]
[illegible]
[illegible]
[illegible] Sclerotica [illegible]
[illegible] Cornea [illegible]
[illegible]
[illegible]
[illegible]
[illegible] Cornea [illegible] Staphylomatoes [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] Ophthalmie [illegible]
[illegible] varicose [illegible]
[illegible] arthritischen Ophthalmie [illegible]
[illegible]
[illegible] Hämorrhoiden [illegible]
[illegible]
[illegible]
[illegible] Ophthalmie [illegible]
[illegible]
[illegible]
[illegible] mechanischen [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

[illegible] 343.
[illegible]

1. Aneurysma [illegible]
[illegible]

[illegible] Arterien [illegible]

[illegible] Varicositaeten [illegible]

2. Aneurysma verum [illegible]
[illegible] Arterie [illegible]
[illegible] Aneurysma circumscriptum [illegible]
[illegible]

[illegible]

340.) Dieses ist der Unterschied zwischen der Natur der Collateral-[illegible] der Circulation und Ernährung [illegible]
[illegible]
[illegible]
[illegible]
[illegible]

Wirkungen d. ganzen Organismus [illegible]
[illegible]
[illegible]
[illegible] Consensuelle [illegible]
[illegible]

Prognose: Sie richtet sich nach der Localität [illegible] Complicationen [illegible] Aneurismen [illegible]
[illegible]

Behandlung: [illegible]
[illegible] Collateral-[illegible]
[illegible] Circulation [illegible] Anastomosen [illegible]
[illegible]
[illegible] Collateral [illegible]

Walther [illegible]
[illegible]

[illegible] der Dilatation findet man [illegible] Arterie 397.
[illegible] das Aneurismus [illegible]
[illegible] 3.

Die Unterbindung einer Arterie [illegible]
[illegible] Spannung des Blut[illegible]
[illegible] aequilirt [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] Collateral [illegible]
[illegible] Operation [illegible]
[illegible]
[illegible] Collateral [illegible]
[illegible]
[illegible]
[illegible]
[illegible] Operation [illegible]
[illegible]
[illegible]
[illegible]
[illegible] Aneurisma [illegible]
[illegible] Collateral [illegible]
[illegible]

2. Aneurisma spurium. [illegible]
[illegible] Ruptur [illegible]
[illegible]
[illegible] Aneurisma spurium [illegible]
[illegible]
[illegible]
[illegible] Aneurism [illegible]
[illegible] Aneurisma spur. [illegible]
[illegible]
[illegible] ~~[illegible]~~ Arterie [illegible]

[illegible]

Behandlung. [illegible] Aneurism [illegible] Compression [illegible]

3) Aneurisma mixtum [illegible] Aneurism [illegible] Instrument [illegible]

Scott [illegible] Existenz [illegible] Aneurism [illegible]

4) Aneurisma varicos. s. venosum [illegible] Arterie und Vene [illegible] Arterie in die Vene [illegible] Arterie und Vene [illegible]

[illegible] Pott [illegible] Aneurism [illegible] Blut [illegible] Capillar [illegible]

Ursachen. [illegible] Arterie [illegible] Vene [illegible]

Behandlung. [illegible]

[illegible] 349 [illegible]

[illegible]

Corpus [illegible] sympathicus [illegible]

[illegible] sympathicus [illegible]

1. [illegible]

2. [illegible]

3. [illegible] Symptome [illegible]

360. [illegible]

4. Stad. perfinienis [illegible]

[illegible]

5te Stad. corrypationis [illegible]

[illegible]

6. Stad. [illegible] flachwandernde [illegible] ichoros [illegible]

[illegible]

Ursachen [illegible]

[illegible]

[illegible] 351.)

[illegible]

[illegible]

Therapie. Sie hat folgende Indicationen: [illegible]

[illegible] Calomel u. Mercurialien. [illegible] Digitalis [illegible]

[illegible]

324.) [illegible] auf den [illegible] Bedeutung [illegible]
[illegible] Zusatz [illegible]
Wärme in Wien [illegible]
[illegible] 4. [illegible]
[illegible]
[illegible] zu verhüten [illegible]
[illegible]
[illegible]
[illegible]
[illegible] Lanolin [illegible]
[illegible]
[illegible]
[illegible]
[illegible] Lust [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] 10–15 Minuten [illegible]
[illegible]
[illegible] Speck [illegible]
[illegible] Am 3–4ten Tage [illegible]
[illegible]
[illegible] Wasser [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] beschmutzten Theile.

Den letztern Fall möge ich noch beweisen, das Geschwulsten [illegible]
die nie offenbar zu [illegible] der Kräfte [illegible]
[illegible] Acrivus(?) etc. [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] Cauterium [illegible]
[illegible]
[illegible]
[illegible] Bellosti [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] Bellosti [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] secret [illegible] B. [illegible] Bellosti [illegible]

[illegible], [illegible] [illegible], nämlich eine gründlichere Methode [illegible]
[illegible] [illegible] [illegible] [illegible] Erfolg des [illegible] über
[illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] Fällen, [illegible]
[illegible] [illegible] [illegible] [illegible] gelte.

[illegible] pathologische [illegible]

[illegible]

I. [illegible] anomalie [illegible] normal [illegible] organischen [illegible]

II. [illegible] anomalie [illegible] normalen [illegible] organischen [illegible]

[illegible]

1. [illegible]

1. [illegible] contusion [illegible] Commotion.

[illegible]

[illegible] Contusion [illegible] Organ [illegible] Commotion [illegible]

238 [illegible]

[illegible] Quellsäfte [illegible]

[illegible]

[illegible] Lebensdauer [illegible]

Die Quassatur charakterisirt sich [illegible] Laxität der Haut [illegible]

[illegible]

Prognose. [illegible]

Complicationen [illegible]

[illegible]

[illegible]

363. [illegible]

[illegible]

[illegible]

[illegible] 361.)
[illegible] centrale [illegible] Sphäre [illegible]
[illegible]
[illegible] Organismus [illegible]
[illegible]
[illegible] Torent [illegible]
[illegible]
[illegible] Torrent [illegible] ✗
[illegible]
✗ [illegible]
[illegible]
[illegible] ½ [illegible]
2te [illegible]tion [illegible]
[illegible] Magnetism [illegible]
[illegible]

362.) Extravasate [illegible]

1° = Indication [illegible]

2. [illegible] [illegible]

[illegible]

1. [illegible]

2. [illegible]

3. [illegible] Expe-rimente [illegible]

[illegible]

meist erfolgt er in den ersten 12–24 Stunden [illegible] eintritt. Die übrigen [illegible]
[illegible] Entzündungen sind nicht [illegible]
[illegible] falls [illegible]
Die Behandlung der Wunden ist einfach, [illegible]
[illegible]
1. [illegible] complicirte Wunde.
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
Die complicirten [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
3. [illegible]
4. [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

364. [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

5. [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

6. [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

302. 2. In speciellerer Hinsicht bringen die [illegible]
Verhältnissen [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
b) Veränderungen [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
c) Wunden [illegible]
[illegible]
d) Wunden der [illegible]
[illegible]
[illegible]
[illegible]
e) Wunden [illegible]
f) Wunden [illegible]
[illegible]
[illegible]
[illegible] <u>allgemein [illegible]</u>
<u>der speciellen [illegible]</u> [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
Die individuellen [illegible]
[illegible]

[illegible] 27.

[illegible] nach der [illegible] nicht [illegible]

[illegible]

[illegible] in der [illegible]

[illegible] bei einem [illegible]

[illegible] die [illegible] nicht [illegible]

[illegible] absolut [illegible]

[illegible] individuell [illegible]

<u>Vulnera non absolute lethalia.</u> Sind solche [illegible] durch zweckmäßige [illegible] tödtlich [illegible] Zufälle [illegible]

[illegible]

Von diesen [illegible] unterscheiden wir zweierlei:

<u>1. Vulnera per se lethalia:</u> sind solche welche [illegible] überhaupt [illegible]

[illegible]

[illegible]

<u>2. Vulnera per accidens lethalia</u> [illegible]

[illegible]

[illegible]

[illegible]

Zu den Vulnera per se lethalia gehören:

a) [illegible]

[illegible] Fracturen [illegible]

b) [illegible]

[illegible]

[illegible]

c) [illegible]

[illegible]

[illegible]

[illegible]

d) [illegible]

e) [illegible]

[illegible]

308. b, Verletzungen der Geschlechtstheile [illegible] Behandlung derselben.

Alle diese Verletzungen gehören unter die bedeutendsten [illegible]

[illegible]

<u>Begriff der Wunden im allgemeinen</u>

[illegible]

[illegible] <u>Blutkuchen</u> [illegible]

[illegible]

[illegible] Haltung der [illegible] [illegible] der Verwundung [illegible]

Von der Kur im Allgemeinen.

[illegible]

[illegible] per primam intentionem [illegible] Suppuration (per secundam intentionem) [illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible] Flexion [illegible]

[illegible] Denken [illegible]

[illegible] Flexion [illegible]

[illegible]

[illegible]

… Extremitaeten …

[illegible]

[illegible]

[illegible]

[illegible]

[illegible] Granulation [illegible]

[illegible]

[illegible] Granulation [illegible]

[illegible]

p. 83. [illegible]

[illegible]

[illegible]

[illegible heading]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

392 [illegible]

[illegible]

1. [illegible]

2. Ableitung [illegible]

3. [illegible]

4. [illegible]

5. [illegible]

6. [illegible]

[illegible]

[illegible]

[illegible]

394) bewürken müssen. [illegible]
[illegible]
[illegible]
[illegible]
[illegible] Apparat [illegible]
[illegible]
[illegible] zu [illegible]
[illegible] Depositair [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
2. [illegible] [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] 1½ in Temporale [illegible]
[illegible]
[illegible]
[illegible]
[illegible] 3. [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

[illegible]

392. [illegible]

94) [illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible] Nigrum infecten [illegible]

[illegible]

[illegible]

[illegible] Kali [illegible]

[illegible] Kali [illegible]

[illegible] Sauerstoff [illegible]

[illegible] Silber [illegible]

[illegible]

[illegible]

401. [illegible] Eberhard [illegible]
[illegible] minor
[illegible]

[illegible] XII [illegible]

[illegible]

[illegible]

x Murorut tij

[illegible]

[illegible] in Specie

1. [illegible]

[illegible]

[illegible]

404. bei kleinen Quetschungen mit [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] Zufälle [illegible]
[illegible]
[illegible]
[illegible]
[illegible] Zufälle [illegible]
[illegible] Durchschneidung
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] der Wunde.

II. Verletzungen der [illegible]

[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

[illegible] 411.
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] *Strukturen* [illegible]
[illegible]
[illegible]
[illegible]
[illegible] Instrument [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

[illegible]

[illegible] Contra [illegible]

[illegible] Extract. [illegible] 5. [illegible]

[illegible]

410. Diese Erscheinungen [illegible]

[illegible]

[illegible] Symptome der [illegible] [illegible]

[illegible]

Beispiel. [illegible]

[illegible] antiphlogistische [illegible]

[illegible]

[illegible]

418. [illegible]

[illegible] Extremitäten [illegible] Extremitäten [illegible]

[illegible]

[illegible]

[illegible]

III. [illegible]

[illegible]

[illegible] Extremität [illegible] Extremitäten [illegible]

Wunden des Gesichts im Allgemeinen

[illegible] normale [illegible]

410. Affectionen [illegible]

[illegible] der Steine

[illegible]

Communicationen

[illegible]

Wunden der Augenbrauen

[illegible]

Wunden der Augenwinkel. [illegible]

 [illegible]

[illegible] befeuchtet [illegible]

[illegible]

Geschwüre des Augapfels.

[illegible] cornea [illegible] Sclerotica [illegible]

[illegible] Operation [illegible]

[illegible] antiphlogistisch [illegible]

[illegible] fomentationes etc. [illegible]

[illegible] Mittel. [illegible] cornea [illegible]

[illegible] Instrument [illegible]

[illegible]

[illegible] Mittel [illegible] antiphlogistisch [illegible] der traumatischen Entzündung [illegible]

Wunden der [illegible]

[illegible]

423. [illegible]

Brüche der Schafe

[illegible]

Brüche der Ziegen

[illegible]

422) [illegible] Mittel. [illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

1) [illegible]

2) [illegible]

3) [illegible]

4) [illegible]

[illegible — underlined heading]

[illegible — about 24 lines of handwritten text]

[illegible — underlined heading]

[illegible — about 11 lines of handwritten text]

424. bei der Bildung durch [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] der Luftröhren sind [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] Luftröhren [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] Luftröhren [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

426 [illegible]

[illegible]

428 [illegible]
[illegible]
[illegible]
[illegible] penetrirenden [illegible]
[illegible]
[illegible]
[illegible] Depression [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] Compressione [illegible]
[illegible] penetrirende [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

[illegible]

422. [illegible]

[illegible] art. intercostal [illegible] mamaria [illegible] art. mamaria interna [illegible] extravasato [illegible] Extravasatet [illegible]

[illegible] Haemothorax [illegible] art. mamaria [illegible] art. intercostal [illegible] art. mamariae [illegible] art. intercostal [illegible] art. intercostal [illegible] mamaria interna.

Gerhard [illegible] art. intercostal [illegible]

[illegible]

[illegible]

[illegible]

Tamponiren [illegible]

[illegible]

Sabatier [illegible] Bonnet [illegible]

[illegible] Bonnet [illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Compressen [illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Thallers [illegible] Syrup. [illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

1834 [illegible] oder selbst [illegible]
[illegible]
der Abkühlung zu [illegible] werden. [illegible]
[illegible]
[illegible] stellt [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] Im Pulsations[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] 12½ [illegible] 14 [illegible].

1?4. [illegible] Dulcamar [illegible]
[illegible]

Rec. Flor. Arnic. [illegible]
[illegible] Dulcamar. [illegible]
[illegible] demid. [illegible]
[illegible]
[illegible]
Syrup. [illegible]

[illegible]

1. [illegible]

2. [illegible]

3. [illegible]

[illegible]

Rp. [illegible] recent. [illegible] expr. [illegible]

[illegible]

adde [illegible]

[illegible]

Syrup. [illegible]

[illegible]

1836 [illegible]

[illegible] Operationen [illegible]

[illegible] Alle Bewegungen [illegible]

[illegible]

[illegible] Extraction [illegible]

[illegible]

[illegible] 427
[illegible]
[illegible]
[illegible] 3 [illegible]
[illegible] Operation [illegible]
[illegible]

[illegible]

[illegible]

433. Wenn indeß [illegible] [illegible]

[illegible] Peritonaeum [illegible]

[illegible] Peritonitis [illegible]

[illegible]

[illegible]

... Lokalbad ... [illegible]

... Verletzung ... [illegible]

... Gemüthsbewegung.

[illegible]

[illegible] Extravasaten [illegible]

[illegible] Extravasats [illegible]

[illegible]

444. [illegible]

[illegible]

6. [illegible]

[illegible]

1440. [illegible]

[illegible] Chirurgie [illegible]

[illegible]

[illegible]

441 [illegible]

[illegible]

450. [illegible]

[illegible]

Wunden der [illegible], [illegible]

[illegible]

Wunden der Gebärmutter [illegible]

[illegible]

Bei Schußwunden des Uterus bleibt der [illegible] wenn eine Kugel durch den Uterus [illegible] [illegible]

[illegible] an der Stelle am [illegible] 4[illegible]7.
[illegible] Zufälle [illegible]
[illegible]
[illegible]
[illegible] Zufälle [illegible]
[illegible]
[illegible] Zufälle [illegible]
[illegible]
[illegible] Kugel [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] Extremitäten [illegible]
[illegible]
[illegible] Kugel [illegible]
[illegible]
[illegible]
[illegible]
[illegible] äusserster Stellung [illegible]
[illegible]
[illegible] Beschwerden [illegible]
[illegible]

452. [illegible]

[illegible]

[illegible]

[illegible] 7 – 11 – 13 [illegible]

[illegible]

 [illegible]

[illegible] 5–11–12 [illegible]

[illegible]

B. [illegible]

[illegible]

a. [illegible] Fructus completa [illegible]

[illegible]

b. Fruct. incompleta [illegible]

[illegible]

a. [illegible] Sectio transversa, [illegible]

[illegible]

b. Sectio obliqua [illegible]

c. Sectio longitudinalis [illegible] sagittalis.

[illegible]

[illegible] Insectus [illegible] Früchten [illegible]

[illegible]

[illegible] completa [illegible]

[illegible]

455. a. Fractura sine Dislocatio [illegible]
[illegible]
[illegible]
b. Fract. cum Dislocat. [illegible]
[illegible]
[illegible] Dislo-
catio ad axin [illegible]
[illegible] Dislocat. ad longitudinem [illegible]
[illegible] Dislocatio ad axin.
[illegible]
Aetiologie [illegible]
[illegible] Causae proximae et remotae [illegible]
[illegible]
[illegible] Subjects [illegible]
[illegible]
[illegible]
[illegible] Clavicula [illegible]
[illegible]
[illegible] Tibia [illegible]
[illegible]
[illegible]
[illegible]
[illegible] Dispensation [illegible]
[illegible] Crepitation [illegible] Dislocation [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

[illegible] wirklich [illegible] 45°,
[illegible] auf dem [illegible]
[illegible] in der Mitte [illegible]
[illegible]
[illegible]
[illegible]
[illegible] complicirter [illegible]
[illegible]
[illegible]
<u>[illegible]</u> [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] Extremitaeten [illegible]
[illegible] <u>[illegible]</u> [illegible]
[illegible] rationelle u. empirische.
[illegible] rationellen [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] empirischen [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

 [illegible] Erschütterung des [illegible] [illegible] Krankheitszufälle [illegible]
[illegible] [illegible] [illegible] manifestiren [illegible]

Prognose. [illegible]
[illegible]
[illegible] [illegible] Alter [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] Extremitäten [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

Therapie. Sie erfordert folgende Indicationen:
1. [illegible] Transportirung [illegible]
[illegible]
2. [illegible]
[illegible]
[illegible]
[illegible]
3. [illegible]
[illegible] Transport [illegible]
[illegible]
[illegible] bei dem Transport.

[illegible] 518

[illegible] transportirt [illegible]

[illegible] Extremitäten [illegible]

[illegible]

[illegible] Extension [illegible] Contraextension [illegible] dauernd [illegible] Retention [illegible]

490. [illegible]

[illegible] Contraextension [illegible]

[illegible]

[illegible] normale Lage [illegible]

[illegible]

[illegible]

462.) [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
1) muß sie aus einem Material [illegible]
[illegible]
[illegible]
2) muß sie [illegible]
[illegible]
3) muß sie [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

[illegible] den unteren Extremitäten [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
1. [illegible]
[illegible]
2. [illegible]
3. [illegible]
4. [illegible]
5. [illegible] 18 – 22 [illegible]
6. [illegible]
[illegible] Apparat [illegible]
[illegible]
[illegible]
1. [illegible]
2. [illegible]
3. [illegible]
[illegible]
[illegible]
[illegible]
[illegible] Contractionen [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
1. [illegible]
2. [illegible]
[illegible]
3. [illegible]
[illegible]

464. 4) [illegible] Entzündung [illegible] [illegible]
[illegible]
5) [illegible]
[illegible]
[illegible]
6) [illegible] Nothdurft [illegible]
[illegible] Entzündung [illegible]
[illegible]
[illegible]
[illegible] [illegible] [illegible]
[illegible]
[illegible] Apparat [illegible]
[illegible]
[illegible]
[illegible]
[illegible] Fomentationen [illegible] Mittel [illegible]
[illegible]
[illegible] zu [illegible]ieren. [illegible]
[illegible]
[illegible]
[illegible] 3. 4. [illegible]
[illegible] Glieder [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] aromaticis.
[illegible]
[illegible]
[illegible]
[illegible] [illegible] [illegible]
[illegible]
[illegible]
[illegible] bei der [illegible]
[illegible] Opium [illegible]

[illegible]

[illegible] Stellen [illegible] Geschwulst [illegible] zu ziehen [illegible]

Spina ventosa [illegible] Knochen [illegible] 18–22 Jahren [illegible]

Krankheiten mit veränderter Anomalie der normalen Lage

1. [illegible]

[illegible]

[illegible]

[illegible] Subjecten [illegible]

[illegible] Constitution [illegible]

[illegible] Species [illegible]

[illegible]

471.) Richtung, nach unten u. oben, nach [illegible] nach [illegible] u. rückwärts [illegible] Verrenkung [illegible] Luxation ist eine [illegible] Gewalt, [illegible]
[illegible]
[illegible] mit den Namen Luxatio spontanea.
Folgen der Luxation sind im Allgemeinen: [illegible]
[illegible] Gliedes [illegible]
[illegible]

Prognose. [illegible]
[illegible]

[illegible]

[Repo-
sition]

476. Man hält bei der Einrichtung folgende Regeln zu beobachten [illegible] Luxation [illegible]

1. [illegible]

2. [illegible]

3. [illegible]

4. [illegible]

5. [illegible]

[illegible] Luxatio spontanea [illegible]

[illegible] 473.

[illegible] Boerh. [illegible] Van Swieten [illegible]

[illegible] Boerh. [illegible]

[illegible]

[illegible] Cephalgie [illegible]

[illegible]

[illegible]

subluxationis [illegible]
[illegible]
[illegible]
[illegible] *Spec. luxationis* [illegible]
[illegible]
[illegible]
[illegible]
[illegible] Caries [illegible]
[illegible]
[illegible]
[illegible] *Spec. ulcerosum* [illegible]
[illegible]
[illegible]
[illegible]
[illegible] luxationem [illegible]
[illegible] Hydrocele [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] Schiefstand [illegible]

476.) [illegible]

[illegible] Diagnostik von großer Wichtigkeit ist. [illegible] articulationen [illegible]

[illegible] trochanter [illegible]

[illegible]

[illegible] 187

[illegible]

[illegible]

2. [illegible]

3. [illegible]

4. [illegible]

5. [illegible]

[illegible]

1. [illegible]

[illegible]

2) [illegible]

3) [illegible]

4) [illegible]

[illegible]

[illegible]

[illegible]

491, [illegible] Omarthrocace [illegible]

[illegible] Omarthrocace [illegible]

[illegible] Omarthrocace [illegible] Luxation [illegible] Subluxation [illegible]

Gonarthrocace [illegible]

[illegible] in einem gehörigen Lage zu erhalten. Diese Hefte 1871

[illegible]

[illegible]

[illegible]

[illegible] Verwunderung [illegible]

[illegible]

[illegible] Bedienung [illegible]

[illegible]

[illegible] gefunden [illegible]

[illegible] Veranlassung der [illegible]

[illegible]

[illegible] zu verzeichnen [illegible] befohlen [illegible]

[illegible]

 [illegible]

[illegible] colliquativ [illegible] Arthrophlogien [illegible]

[illegible] Stadio [illegible]

[illegible] narthrocace [illegible]

[illegible] Gonarthrocace [illegible]

[illegible] caries periferica [illegible]

[illegible] Gonarthrocace [illegible]

[illegible] Gonarthrocace [illegible]

[illegible] Gonarthrocace [illegible]

[illegible] 189.

[illegible] thorac[illegible] [illegible]

[illegible] verteb[illegible] [illegible]

[illegible] thorac[illegible] [illegible]

[illegible] Extremitaeten [illegible]

[illegible]

498. [illegible] Caust. [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] Caust. [illegible]
[illegible] Bronchitis [illegible]
[illegible] Bronchitis.
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] Caust. [illegible]
[illegible] Affection [illegible]
[illegible]
[illegible]
[illegible]
[illegible] Rheumatismus [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] Caust. [illegible]
[illegible]
[illegible]
[illegible] concentriren [illegible]
[illegible]
[illegible]
[illegible] Caust. [illegible]
[illegible]
[illegible] Stadium [illegible]
[illegible]

[illegible]

492, d. Colliquative Schweiße. Die Materie ist [illegible]
[illegible]
X Bei der Section findet [illegible]
[illegible] Rückenmark [illegible]
[illegible]
[illegible] Indicationen zu erfüllen:
[illegible]
2, [illegible]
3, [illegible] Ursprung

[illegible] [illegible] [illegible]

[illegible]

[illegible]

1. [illegible] [illegible]

[illegible]

[illegible] Nitrum [illegible]

[illegible]

[illegible] Digitalis [illegible]

[illegible]

[illegible] Opium [illegible]

[illegible]

[illegible]

Aethiops antimonialis & mercurialis [illegible]

[illegible]

494. und gichtischen rheumatischen Beschwerden und Erkältung, wie auch [illegible] Hautausschlägen [illegible] angewendet [illegible]
Bei jenen Fällen, wo Syphilis [illegible] Dyscrasie zu Grunde liegt, [illegible] wird man, [illegible] bei scrophulösen Dyscrasie aethiops antimonialis et mineral., terra ponderosa, Digitalis, Cicuta etc. zur Unterstützung [illegible] anwenden [illegible]

Rp. Terrae ponderosae salitae gr. j
Aq. dest. simpl. ℥j

M. D. S. [illegible] Tropfen [illegible]
Da wir überhaupt bei [illegible] [illegible] sind, so werden [illegible] der Reproductivität [illegible] mit aromatischen [illegible] Aromatischen Kräuterbäder [illegible] [illegible] Weinrebenextract [illegible] in Italien [illegible] empirisch [illegible] ℈j — ℥j [illegible]

Rp. Extr. pamp[in]orum vitis ℥ij
Aq. flor. naphae ℥ij
Sacchar. alb. ℥iij

M. D. S. Alle 2 Stunden 1 Esslöffel voll zu nehmen.
[illegible]

[illegible] 495.
[illegible]
[illegible] therapeutischen [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] organische [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] Natron [illegible] Amoniak
[illegible]
[illegible]
[illegible]
[illegible]

498. [illegible] Fontanell zu [illegible] [illegible]
[illegible]

[illegible]

[illegible] normale [illegible]

[illegible] Exanthe- [illegible]

[illegible] mit Ungt. [illegible]

Terebinth. c. merc. praec. rubr. [illegible]

[illegible] Cantharid. [illegible] Sabina, Euphorbium, [illegible]

[illegible] Plumaceaux

mit Ungt. Digestiv. [illegible]

[illegible] arthrocace [illegible]

[illegible]

5[illegible] [illegible]
[illegible]
Im [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] Reaction [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

Prolapsi Vorfälle.

[illegible] Vorfall / Prolapsus / versteht man [illegible] die [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] die Hernien u. Luxationen. [illegible] [illegible] Prolapsi [illegible] normale Contraction [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] normal [illegible] [illegible] [illegible] [illegible] [illegible] Diagnose [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] Organs [illegible] [illegible] [illegible]

Die [illegible] [illegible] Indicationen.

1., [illegible] des [illegible] Organs [illegible] seine normale Lage u. Stellung.

2., die Erhaltung in derselben.

Die erste Indication [illegible] [illegible] Taxis, [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] die prolabirenden [illegible] Organe [illegible] [illegible] Excitation, [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] Die Therapie [illegible] [illegible]

Die 2te Indication [illegible] Erhaltung in der normalen Lage [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] nach der [illegible] [illegible]

502. [illegible] mechanische u. therapeutische Mittel in Anwendung zu bringen. Es gibt folgende Arten:

1. Rothes Blepharophthalmie [illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible] 5?3.

[illegible]

Rem. [illegible]

544. [illegible]

II [illegible]

[illegible]

506. [illegible] Exostosen [illegible] etc. [illegible]
[illegible] Exostosen [illegible]
[illegible] Exostosis spuria [illegible]
[illegible] etc. [illegible] Extirpatio bulbi oculi [illegible]

IV. Procidentia oculi. Vorfall des Augapfels.

[illegible]

Dabei durch [illegible] [illegible] und [illegible]
Mittel [illegible] und [illegible] Alaun [illegible]
[illegible] Kalte [illegible] Alaun, [illegible]
[illegible] mit [illegible]
[illegible] mit [illegible] [illegible]
[illegible]
[illegible] mittel, [illegible]
[illegible] applicirt, [illegible] Cantharidischen
[illegible]
[illegible] Mittel nicht helfen [illegible]
[illegible]
[illegible]
Desault'schen Systems [illegible]
[illegible]
[illegible]
[illegible]

1. Prolapsus vesicae urinariae.

[illegible]
[illegible]
1) [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
2) [illegible]
[illegible]
[illegible]
[illegible] Mutter [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

[illegible] Mittel [illegible]

[illegible]

Function [illegible]

VI Prolapsus Uteri

[illegible] Prolapsus uteri [illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible] ligament. Falloppii, [illegible] Art. circumflexa ilei [illegible]

[illegible] Arteria epigastrica [illegible]

[illegible] Art. mammaria interna [illegible] Art. cruralis [illegible]

[illegible] externa [illegible]

[illegible]

 bei Weibern aber [illegible] nach [illegible]
des Uterus [illegible] Art. epigastrica [illegible]
[illegible] Stamm [illegible].
Die Art. cruralis liegt in der Mitte unter dem Leisten-
bande auf der [illegible], nachdem sie die Ar-
teria epigastrica und die circumflexa ilei abgege-
ben hat. Die Arteria cruralis nach innen liegt die
vena cruralis; ihr nach außen der Nervus cruralis
[illegible]
[illegible]
[illegible] die Vasa deferentia und die [illegible]
[illegible]
der Arteria epigastrica [illegible]
[illegible] deferens [illegible]
[illegible] Vena spermatica [illegible] die Art. [illegible]
[illegible] Ligament.
[illegible] die Art. spermatica externa [illegible]
[illegible]
[illegible]
[illegible]
Die [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

[illegible]

524 [illegible]

[illegible]

[illegible] Theil mit jenem [illegible]

[illegible]

[illegible]

520.) So ist kein Zweifel vorhanden, daß ihre Entleerung selbst
unter Blut [illegible] sehr vortheilhaft sei. [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] alle Zufälle [illegible]
[illegible]
[illegible] oder andern Zufällen [illegible]
[illegible]
[illegible] Die [illegible]
[illegible]
[illegible]
[illegible] des [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] Exacerbationen [illegible]
[illegible]
[illegible]

Prognose [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

528. Nabel bruch und andern [illegible]. [illegible]

[illegible]

[illegible]

Normallehre. [illegible]

[illegible] Bandage [illegible]

[illegible]

[illegible]

VII [illegible]

[illegible]

[illegible]

[illegible]

VIII [illegible]

[illegible]

510 [illegible]

[illegible] der [illegible] halten. Die Pessarien entsprechen auf
folgende Weise. Man giebt [illegible]
[illegible]
[illegible]
[illegible]
[illegible] Vorfall [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] Mutterscheide [illegible]
[illegible]
[illegible] Pessarien [illegible]
[illegible]
[illegible] Vorfall [illegible]
[illegible]
[illegible]
[illegible]
[illegible] Man kann [illegible]
[illegible] mechanische Mittel den Vorfall in seiner Lage
erhalten. In den gewöhnlichen Fall [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] appliciren [illegible]
[illegible]
[illegible]
[illegible] Vorfällen [illegible]
[illegible]
[illegible]

518. durch ein Klistier [illegible] einen Ligatur, um die [illegible]
ben, nämlich zu der [illegible] des Vorfalls, [illegible]
mit der Ligatur [illegible] [illegible]
[illegible]
in [illegible] die Ligatur [illegible]
[illegible]

Hernie, Brüche.

[illegible]
[illegible]
[illegible]
[illegible]
[illegible] einen [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

520 [illegible] *Calopii* [illegible]
[illegible]
[illegible] *arteria cruralis* [illegible]
[illegible] *nervo crurali* [illegible]
[illegible] *vena cruralis* [illegible]
[illegible]
[illegible] *Ligaments Fallopii* [illegible]
[illegible]

[illegible] (§ 29.)
[illegible]
[illegible]
[illegible]
[illegible]. Man giebt elastische und nicht elastische Bruch-
bänder [illegible]
[illegible]
[illegible] elastischen [illegible]
[illegible]
[illegible] elastischen Bruchbänder [illegible] elastischen [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] mit [illegible]
[illegible] concav oder convex seyn,
[illegible]
[illegible] Rust [illegible] ein elastisches Bruch-
band, [illegible] mit Spiralfedern [illegible]
[illegible] doppeltes Bruch-
[illegible] einem doppelten Bruchbande [illegible]
[illegible]
[illegible]
[illegible]
[illegible] Excoriationen [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] § 30.

530. [illegible] Indication
[illegible] Kranken [illegible] neue [illegible]
[illegible]
[illegible]
Die vorzüglichsten dieser Mittel sind:
1, die Laxis: die Mittel, [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
2 Purgirmittel. besonders Calomel. Sal mirabil. glauberi Sal tartari. Extr. colocynth. Jal. [illegible] Rheum, Ol. ricini, Ol. lini etc.
3 Diuretica [illegible] Sal. amar. [illegible] Decoct. [illegible] Ol. Terebinth. [illegible] Acet. [illegible] Vinum stibiat. [illegible] etc. [illegible] Emulsionen [illegible] Cicuta Bellad. Hyoscyam. etc.
4. Krampfstillende Mittel. Ipecacuanh. Opium, Hyoscyam. Laurocerasi, Moschus [illegible] etc.
5 Antiphlogistica Nitrum. Digital. purpurea Calomell zu gleich V. S.
6, Äußerlich [illegible] Linimentum volat. [illegible] etc.
Will [illegible]
[illegible]
[illegible]
[illegible] Purgantia
[illegible]
[illegible]
[illegible] antiphlogistisch [illegible]
[illegible]

Mittel bis zur Schwäche, während dem sich die Taxis vor- 531.
nehmen läßt. gelingt sie nicht, so setzt man den Kr. in ein laues
Bad u. versucht die Reposition, nur sei man behutsam:
wenn [illegible] [illegible] Spannung
[illegible] nicht mehr zu weichen. Man wen-
det [illegible] Entzündung
[illegible] die Taxis zu leiten. Außer diesen
dienen [illegible] äußerlich Calo-
mel zu gr IV – VI p. d. mit Extr. [illegible] gr X u. wenn die
eingeklemmten Theile [illegible], auf den Bruch
selbst macht man kalte fomentationen um die entzündliche
Reaction zu heben. [illegible] applicirt man [illegible].
[illegible] helfen diese Mittel binnen
24 Stunden nicht, so ist keine Hülfe den Bruch zu repo-
niren u. jeder Aufschub der Operation kann den Kranken töd-
lich werden. [illegible] nach 24 Stunden
den eingeklemmten Bruch [illegible] mit [illegible]
[illegible] Stunde nach 4 Stunden heftige Ent-
zündung u. Brand [illegible]. Um diesem zu ver-
meiden, muß [illegible] auf den [illegible]
u. [illegible] Symptome [illegible]
[illegible] nicht [illegible] zu jeder Stunde operiren.
2, [illegible] Einklemmung [illegible]
[illegible]
[illegible]
[illegible] spasmodischen Cha-
racter [illegible] mit dem entzündlichen [illegible]
[illegible]
[illegible] gr. u. Opium [illegible] gr j – ij [illegible]
[illegible] Narcotis [illegible]
[illegible] Taxis [illegible]
Calomel in Verbindung mit Opium u. Moschus, Calomel gr. j – iij

532, u. Moschus gr ij alle Stunden – in gr iv Calomel u. gr i Moschus u. ¼ gr Ipecacuanh. u. gr x Sacchar. Auch dient folgendes

Rp: Camphorae gr xii –
moschi optim gr ij
Nitri [illegible]
Sacchar. alb. ana ʒij

M. f. p. divid in XII part. aequal. S. alle 2 Stunden 1 Pulver zu nehmen. [illegible] sind ferner Klystiere [illegible] Hyoscyam. gr vj – viij – x zu einem Klystier. Rust empfiehlt [illegible] Klystiere [illegible] warmen [illegible] Umschläge auf den Unterleib z. B. [illegible] chamomil. Cicutae, Hyoscyam. [illegible] flüchtige Liniment mit Opium auf den Unterleib einzureiben [illegible] Mittel in 24 Stunden [illegible] 4 [illegible] die [illegible] Zufälle [illegible] die Operation [illegible] kalte Umschläge [illegible] Zufälle [illegible]

3, die organische Entzündung [illegible] Behandlung [illegible] Man [illegible] mit allen Mitteln [illegible] Operation [illegible] Mittel [illegible]

4, die passive oder Kothentzündung. Hier ist bei [illegible] der Anwendung [illegible] Mittel [illegible] Taxis [illegible] Comunication [illegible] mit den Bruch [illegible] u. antiperistaltische Bewegung [illegible] Die Hauptmittel sind daher [illegible] Klystiere vorzüglich [illegible] kalte [illegible]

Richter ℞ Sal. amar. ℨj solve in [illegible] ℨ[illegible]
Ol. lini ℥ij Succ. citr. rec. express. ℨj
Spir. nitri dulc. ℈ij Syr. papaver. ℥j

M. D. S. alle ¼ Stunden einen [illegible] Esslöffel voll zu nehmen [illegible] Succ. citr. [illegible] [illegible] [illegible] Ol. lini [illegible] [illegible] ¼ Stunden 1 Esslöffel voll [illegible] ℨj natr. sulphur. ℨj Ol. lini [illegible] ℨj Sal. tar. [illegible] ℨij — viij [illegible] sulphur. [illegible] [illegible] [illegible] [illegible] gr iv — vj [illegible] ℨiij — vj [illegible] [illegible] [illegible] applicieren [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] Taxis [illegible] [illegible] Troicart [illegible] [illegible] Taxis [illegible] [illegible] [illegible]

534. und die Finger einzeln um denselben gelegt sind, hält denselben [illegible]

[illegible]

dieser Lage versucht man die Taxis.

[illegible]
[illegible] Integumenta [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
Secrete [illegible]
[illegible]
[illegible]
[illegible] Contenta [illegible]
[illegible]
[illegible] Reposition [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] Operation [illegible]
[illegible] Operation [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

523. Die castrirten sind den Kr: gleich wie auch Kapaunen [illegible] wurden in neuern Zeiten empfohlen. Man soll nahe am Bruchsack aufschneiden [illegible] den Bruchsack separiren [illegible] Ol: vitriol: [illegible] alle diese Mittel sind [illegible]. Das [illegible] Mittel den Bruchsack zu [illegible] gleich nach der Operat: einen Furunkel [illegible] ~~[illegible]~~ [illegible] seponirt sein, in den Bruchsack [illegible] [illegible] bildet sich [illegible] Zellgewebe, [illegible] den (Bruchsack) [illegible] verwachsen [illegible].

Hernia cerebri Encephalocele Hirnbruch.

Der Hirnbruch [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] Kopfe [illegible].
Die [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]. Die [illegible] [illegible] Pulsiren [illegible] Arteria radialis correspondiren, [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] Schiefelität [illegible] moment.

[illegible] fühlt er im [illegible] Anfange [illegible]
[illegible] Schläfe [illegible]
[illegible], Convulsionen u. [illegible]
[illegible]
[illegible]

[illegible] der Ossification
bei [illegible] Trepanation [illegible] caries cranii
[illegible]
[illegible]
[illegible] Indication
[illegible] Fluctuation. [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
unter der Galea aponeurotica [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] Convulsionen u. [illegible]
[illegible]
[illegible]

II Hernia pulmonalis [illegible]
[illegible] der intercostal [illegible]
[illegible]
[illegible] Pleura [illegible]
[illegible] reponiren [illegible]
[illegible]
[illegible] reponiren
[illegible] Pleura [illegible]
[illegible]
[illegible]

III Hernia inguinalis [illegible]
[illegible]
[illegible] Männer [illegible] Weiber [illegible].

538. Die Geschwulst in der inguinal-Gegend. [illegible] auf dem [illegible] des inguinal-Ringes [illegible]

[illegible]

[illegible]

[illegible] Epiplocele [illegible] Enterocele [illegible] 533.
Entero-epiplocele. [illegible]
[illegible] elastisch [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] elastisch,
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] Taxis, [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] epigastrica [illegible]
[illegible]
[illegible] Scarpa [illegible]
[illegible] Rust [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] Tunica
vaginalis Testes [illegible]
[illegible] Operation [illegible]

540.) [illegible]

IV Hernia cruralis [illegible]

Dieser erscheint öfters bei [illegible] Weibern, [illegible] bei Männern [illegible] [illegible] Ligamenti Poupartii [illegible] [illegible] [illegible] Incarceration [illegible] Taxis [illegible] Operation [illegible] Dilatation [illegible]

V. Hernia Umbilicalis. Nabelbruch.

[illegible]

542) [illegible] ab. [illegible] parallel [illegible].

VI Von den [illegible] Brüchen und Hernia ventriculi genannt.

Es sind Brüche, bei welchen nicht der ganze [illegible] [illegible] [illegible] Scirrhus des Magens [illegible] Convulsionen, [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] zu [illegible].

VII Hernia [illegible] Bauchbrüche.

[illegible] [illegible] [illegible]

[illegible]

VIII Hernia vesicae urinariae

[illegible]

IX Hernia vaginae (Mutterscheidenbruch)

[illegible]

544. [illegible] bei Knaben vor, welche viel gehen oder fahren. Bei Erwachsenen hat sich [illegible] [illegible] [illegible] und [illegible] [illegible]. Man macht die Reposition und legt eine [illegible] die Mutter[illegible]. Einklemmungen erfolgen hier nie.

X Hernia perinaei Mittelfleischbruch.

Er kommt zwar bei Männern zwischen dem After und [illegible] [illegible], bei Weibern zwischen dem After und der Mutterscheide. [illegible] [illegible] [illegible] [illegible] der Öffnung [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] Zufälle: Schmerzen [illegible] [illegible] [illegible] schweres urinieren, welches [illegible] keine Linie verliert, [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] Geschwulst. [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] etc. Die [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] normal Lage. [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] mit den Fingern in die Mutterscheide, bei Männern in den Mastdarm [illegible] [illegible] [illegible] [illegible] hinauf schiebt. Zur retention [illegible] bei Weibern ein Mutterkranz, bei Männern eine Pelotte mit einer Binde befestigt.

XI Hernia foraminis ovalis.

Er entsteht [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] bei Weibern und bei Männern [illegible], vorzüglich [illegible] bei Weibern [illegible] [illegible] [illegible] [illegible]. Man bringt [illegible] zurück und erhält ihn vermittelst einer Pelotte, die mit [illegible] [illegible] befestigt wird, in seiner Lage. Wird der Bruch eingeklemmt und reichen die gewöhnlichen Mittel ihn zurückzubringen nicht hin, so muss die Operation gemacht werden. Dieser Fall [illegible] sich [illegible] noch nicht ereignet.

XII Bruch durch die Incisura ischiatica.

Bertrand und [illegible] beobachteten diesen Fall [illegible] die Geschwulst bis zur Wade heruntergesunken war.

Finis

II. Classe: Primär wachsen. Abweichungen v. d. norm. Structur. 357.

